AUTHOR INDEX

VOLUME 61, 1988

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ADT, M. *see* TAEGER, K. 425
AHERNE, G. W. *see* POULAIN, P. 569
AITKENHEAD, A. R. *see* REED, P. N., (*ARS*) 115P
ALDRIDGE, L. M., RAY, D. C., NOBLE, D. W., ELTON, R. A., HOWIE, A. F. and DRUMMOND, G. B. Effect of hypotension and positive pressure ventilation on glutathione S-transferase in patients receiving halothane or isoflurane, (*ARS*) 508P
ALEXANDER, J. I. and HILL, R. G. *Postoperative Pain Control*, (*R*) 244
ALI, H. H., SAVARESE, J. J., EMBREE, P. B., BASTA, S. J., STOUT, R. G., BOTTROS, L. H. and WEAKLY, J. N. Clinical pharmacology of mivacurium chloride (BW B1090U) infusion: a comparison with vecuronium and atracurium 541
ALLEN, G. Atracurium or vecuronium for MHS patients?, (*C*) 513
ALSTON, R. P. Effect of isoflurane on systemic oxygen uptake during cardiopulmonary bypass, (*ARS*) 498P; Spinal anaesthesia with 0.5% bupivacaine 3 ml: comparison of plain and hyperbaric solutions administered to seated patients 385
ALSTON, R. P., LITTLEWOOD, D. G., MEEK, R. and EDSTRÖM, H. H. Spinal anaesthesia with hyperbaric bupivacaine: effects of concentration and volume when administered in the sitting position 144
ALTMAN, D. G. *see* KONIECZKO, K. M. 318
ALVAREZ GÓMEZ, J. A. *see* PÉREZ GUILLERMO, F. 233
ALVAREZ OSSORIO, R. *see* PÉREZ GUILLERMO, F. 233
ANDREASEN, F. *see* SCHURIZEK, B. A. 712
ANGELO, H. R. *see* HØGSKILDE, S. 462
ANGERT, K. C. *see* HUG, C. C. JR 435
ANKER, N. *see* HØGSKILDE, S. 462
ANNAN, F. J., RAY, D. and DRUMMOND, G. B. Comparison of rate of onset of respiratory depression after i.v. morphine or diamorphine, (*ARS*) 112P
A-OMAR, O. *see* POULAIN, P. 569
APPLETON, D. F. J., REID, M. F., DAVIES, G. K. and WESTON, G. A. Sufentanil–enflurane–nitrous oxide anaesthesia in patients for coronary artery bypass graft, (*ARS*) 501P
ARNDT, J. O. *see* PETERS, J. 617
ARRIGONI, P. *see* BOLISTON, T. A., (*ARS*) 510P
ASBURY, A. J. *see* ROBB, H. M., (*ARS*) 109P; STONE, P. A., (*ARS*) 111P
ASSAF, R. A. E. *see* STEPHEN, C. R., (*R*) 126
ASSCHER, A. W. Halothane, (*C*) 123
AUER, R. N. *see* JENSEN, M. L. 206
AZUMA, Y. *see* SUGAI, K., (*C*) 516

BAILEY, D. M. and NICHOLAS, A. D. G. Comparison of atracurium and vecuronium during anaesthesia for laparoscopy 557
BAKER, R. D. *see* MEAKIN, G., (*ARS*) 105P
BANNER, R. *see* CHEEK, T. G. 340
BARAKA, A. Severe bradycardia following propolol–suxamethonium sequence 482
BARNETT, D. B. Myocardial ischaemia: progress in drug therapy 11
BARROWCLIFFE, M. P. *see* KONIECZKO, K. M. 318
BASTA, S. J. *see* ALI, H. H. 541
BAXTER, A. D., JENNINGS, R. O. and FLYNN, J. F. Postoperative intercostal block, (*C*) 370
BEATTY, P. *see* STOLLERY, B. T. 446
BEECH, M. J. and POLLARD, B. J. Effect of i.v. anaesthetic agents on the affinity of haemoglobin for oxygen, (*ARS*) 497P
BEEMER, G. H., DENNIS, W. L., PLATT, P. R., BJORKSTEN, A. R. and CARR, A. B. Adverse reactions to atracurium and alcuronium. *A Prospective Surveillance Study* 680
BEESE, E. and BROOME, I. A complication of intercostal insertion of a chest drain, (*C*) 642
BEINHART, J. *A History of the Nuffield Department of Anaesthetics, Oxford* 1937–1987, (*R*) 519
BELLER, J. P., POTTECHER, T., LUGNIER, A., MANGIN, P. and OTTENI, J. C. Prolonged sedation with propofol in ICU patients: recovery and blood concentration changes during periodic interruptions in infusion 583
BEMBRIDGE, M. *see* PARSLOE, M. 702
BENDIXEN, D. K. *see* MANSEN, M. 231
BENZON, H. T., STRICHARTZ, G. R., GISSEN, A. J., SHANKS, C. A, COVINO, B. G. and DATTA, S. Developmental neurophysiology of mammalian peripheral nerves and age-related differential sensitivity to local anaesthetic 754
BERNOW, J. *see* LINDBLAD, A. 376
BETHUNE, D. W. and LATIMER, R. D. Heat and moisture exchangers, (*C*) 367
BEVAN, D. R., BEVAN, J. C. and DONATI, F. *Muscle Relaxants in Clinical Anaesthesia*, (*R*) 785
BEVAN, D. R. *see* LAYCOCK, J. R. D. 286
BEVAN, J. C. *see* BEVAN, D. R., (*R*) 785
BIHARI, D. *see* KOX, W., (*R*) 244
BIRCHER, N. G. *see* SAFAR, P., (*R*) 647
BITSCH-LARSEN, L. *see* RØRVIK, K. 180
BJORKSTEN, A. R. *see* BEEMER, G. H. 680
BLACK, G. W. *see* LYNAS, A. G. A., (*ARS*) 506P; SAMPAIO, M. M., (*ARS*) 498P
BLAKE, D. W., JOVER, B. and MCGRATH, B. P. Haemodynamic and heart rate reflex responses to propofol in the rabbit. *Comparison with Althesin* 194
BLOM-MUILWIJK, M. C. *see* VENINGA, T. S. 413
BOER, F., ROS, P. and BOVILL, J. G. Propofol decreases systemic vascular resistance during cardiopulmonary bypass, (*ARS*) 108P
BOGOD, D. G., ROSEN, M. and REES, G. A. D. Maximum F_{IO_2} during Caesarean section 255
BOLDY, D. A. R., LEVER, L. R., UNWIN, P. R., SPENCER, P. A. and HOARE, A. M. Sedation for endoscopy: midazolam or diazepam and pethidine? 698
BOLISTON, T. A., HAWKINS, D. R. and ARRIGONI, P. Difference between input and output of the Manley 2, 3 and 4 ventilators, (*ARS*) 510P
BORRONI, V. *see* FIACCHINO, F., (*C*) 238

AUTHOR INDEX

VOLUME 61, 1988

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ADT, M. *see* TAEGER, K. 425
AHERNE, G. W. *see* POULAIN, P. 569
AITKENHEAD, A. R. *see* REED, P. N., (*ARS*) 115P
ALDRIDGE, L. M., RAY, D. C., NOBLE, D. W., ELTON, R. A., HOWIE, A. F. and DRUMMOND, G. B. Effect of hypotension and positive pressure ventilation on glutathione S-transferase in patients receiving halothane or isoflurane, (*ARS*) 508P
ALEXANDER, J. I. and HILL, R. G. *Postoperative Pain Control*, (*R*) 244
ALI, H. H., SAVARESE, J. J., EMBREE, P. B., BASTA, S. J., STOUT, R. G., BOTTROS, L. H. and WEAKLY, J. N. Clinical pharmacology of mivacurium chloride (BW B1090U) infusion: a comparison with vecuronium and atracurium 541
ALLEN, G. Atracurium or vecuronium for MHS patients?, (*C*) 513
ALSTON, R. P. Effect of isoflurane on systemic oxygen uptake during cardiopulmonary bypass, (*ARS*) 498P; Spinal anaesthesia with 0.5% bupivacaine 3 ml: comparison of plain and hyperbaric solutions administered to seated patients 385
ALSTON, R. P., LITTLEWOOD, D. G., MEEK, R. and EDSTRÖM, H. H. Spinal anaesthesia with hyperbaric bupivacaine: effects of concentration and volume when administered in the sitting position 144
ALTMAN, D. G. *see* KONIECZKO, K. M. 318
ALVAREZ GÓMEZ, J. A. *see* PÉREZ GUILLERMO, F. 233
ALVAREZ OSSORIO, R. *see* PÉREZ GUILLERMO, F. 233
ANDREASEN, F. *see* SCHURIZEK, B. A. 712
ANGELO, H. R. *see* HØGSKILDE, S. 462
ANGERT, K. C. *see* HUG, C. C. JR 435
ANKER, N. *see* HØGSKILDE, S. 462
ANNAN, F. J., RAY, D. and DRUMMOND, G. B. Comparison of rate of onset of respiratory depression after i.v. morphine or diamorphine, (*ARS*) 112P
A-OMAR, O. *see* POULAIN, P. 569
APPLETON, D. F. J., REID, M. F., DAVIES, G. K. and WESTON, G. A. Sufentanil–enflurane–nitrous oxide anaesthesia in patients for coronary artery bypass graft, (*ARS*) 501P
ARNDT, J. O. *see* PETERS, J. 617
ARRIGONI, P. *see* BOLISTON, T. A., (*ARS*) 510P
ASBURY, A. J. *see* ROBB, H. M., (*ARS*) 109P; STONE, P. A., (*ARS*) 111P
ASSAF, R. A. E. *see* STEPHEN, C. R., (*R*) 126
ASSCHER, A. W. Halothane, (*C*) 123
AUER, R. N. *see* JENSEN, M. L. 206
AZUMA, Y. *see* SUGAI, K., (*C*) 516

BAILEY, D. M. and NICHOLAS, A. D. G. Comparison of atracurium and vecuronium during anaesthesia for laparoscopy 557
BAKER, R. D. *see* MEAKIN, G., (*ARS*) 105P
BANNER, R. *see* CHEEK, T. G. 340
BARAKA, A. Severe bradycardia following propolol–suxamethonium sequence 482
BARNETT, D. B. Myocardial ischaemia: progress in drug therapy 11
BARROWCLIFFE, M. P. *see* KONIECZKO, K. M. 318
BASTA, S. J. *see* ALI, H. H. 541
BAXTER, A. D., JENNINGS, R. O. and FLYNN, J. F. Postoperative intercostal block, (*C*) 370
BEATTY, P. *see* STOLLERY, B. T. 446
BEECH, M. J. and POLLARD, B. J. Effect of i.v. anaesthetic agents on the affinity of haemoglobin for oxygen, (*ARS*) 497P
BEEMER, G. H., DENNIS, W. L., PLATT, P. R., BJORKSTEN, A. R. and CARR, A. B. Adverse reactions to atracurium and alcuronium. *A Prospective Surveillance Study* 680
BEESE, E. and BROOME, I. A complication of intercostal insertion of a chest drain, (*C*) 642
BEINHART, J. *A History of the Nuffield Department of Anaesthetics, Oxford* 1937–1987, (*R*) 519
BELLER, J. P., POTTECHER, T., LUGNIER, A., MANGIN, P. and OTTENI, J. C. Prolonged sedation with propofol in ICU patients: recovery and blood concentration changes during periodic interruptions in infusion 583
BEMBRIDGE, M. *see* PARSLOE, M. 702
BENDIXEN, D. K. *see* MANSEN, M. 231
BENZON, H. T., STRICHARTZ, G. R., GISSEN, A. J., SHANKS, C. A, COVINO, B. G. and DATTA, S. Developmental neurophysiology of mammalian peripheral nerves and age-related differential sensitivity to local anaesthetic 754
BERNOW, J. *see* LINDBLAD, A. 376
BETHUNE, D. W. and LATIMER, R. D. Heat and moisture exchangers, (*C*) 367
BEVAN, D. R., BEVAN, J. C. and DONATI, F. *Muscle Relaxants in Clinical Anaesthesia*, (*R*) 785
BEVAN, D. R. *see* LAYCOCK, J. R. D. 286
BEVAN, J. C. *see* BEVAN, D. R., (*R*) 785
BIHARI, D. *see* KOX, W., (*R*) 244
BIRCHER, N. G. *see* SAFAR, P., (*R*) 647
BITSCH-LARSEN, L. *see* RØRVIK, K. 180
BJORKSTEN, A. R. *see* BEEMER, G. H. 680
BLACK, G. W. *see* LYNAS, A. G. A., (*ARS*) 506P; SAMPAIO, M. M., (*ARS*) 498P
BLAKE, D. W., JOVER, B. and MCGRATH, B. P. Haemodynamic and heart rate reflex responses to propofol in the rabbit. *Comparison with Althesin* 194
BLOM-MUILWIJK, M. C. *see* VENINGA, T. S. 413
BOER, F., ROS, P. and BOVILL, J. G. Propofol decreases systemic vascular resistance during cardiopulmonary bypass, (*ARS*) 108P
BOGOD, D. G., ROSEN, M. and REES, G. A. D. Maximum F_{IO_2} during Caesarean section 255
BOLDY, D. A. R., LEVER, L. R., UNWIN, P. R., SPENCER, P. A. and HOARE, A. M. Sedation for endoscopy: midazolam or diazepam and pethidine? 698
BOLISTON, T. A., HAWKINS, D. R. and ARRIGONI, P. Difference between input and output of the Manley 2, 3 and 4 ventilators, (*ARS*) 510P
BORRONI, V. *see* FIACCHINO, F., (*C*) 238

BOSTON, V. *see* WOOLFSON, A. D. 589
BOTTROS, L. H. *see* ALI, H. H. 541
BOVILL, J. G. *see* BOER, F., (*ARS*) 108P; LEMMENS, H. J. M., (*ARS*) 111P; 173
BOWLER, G. M. R. *see* MITCHELL, R. W. D. 139; DUGGAN, J. 324
BOWNESS, P. *see* FOSTER, G. R., (*C*) 120
BRADLOW, H. S. *see* UYS, P. C. 685
BRANTHWAITE, M. A. *see* SAWICKA, E. J., (*R*) 646
BRAUDE, N. *see* RIDLEY, S. A. 551
BREUKSCH, E. *see* PETERS, J. 617
BRICCHI, M. *see* FIACCHINO, F., (*C*) 238
BRICKER, S. R. W. and COLEMAN, P. Variations in the gliding characteristics of 10-ml plastic syringes used to locate the extradural space by "loss of resistance" techniques 776
BROADBENT, D. E. *see* STOLLERY, B. T. 446
BROOME, I. *see* BEESE, E., (*C*) 642
BROWN, D. T. *see* POWER, L., (*ARS*) 507P; WILDSMITH, J. A. W., (*ARS*) 503P
BROWNELL, A. K. W. *see* OHNISHI, S. T. 565
BRUNNER, J. X. and WESTENSKOW, D. R. How the rise time of carbon dioxide analysers influences the accuracy of carbon dioxide measurements 628
BRYAN-BROWN, C. W. *see* LUMB, P. D., (*R*) 644
BUNTING, P. and MCCONACHIE, I. Ilioinguinal nerve blockade for analgesia after Caesarean section 773
BUNTING, P. and MCGEACHIE, J. F. Intercostal nerve blockade producing analgesia after appendicectomy 169
BURM, A. G. L. *see* LEMMENS, H. J. M. 173; , (*ARS*) 111P
BURNETT, S. *see* PANOS, M. Z., (*C*) 371
BURNS, A. M., DORJE, P., LAWES, E. G. and NIELSEN, M. S. Anaesthetic management of Caesarean section for a mother with pre-eclampsia, the Klippel-Feil syndrome and congenital hydrocephalus 350
BURNS, J. M. A., HART, D. M., HUGHES, R. L., KELMAN, A. W. and HILLIS, W. S. Effects of nadolol on arrhythmias during laparoscopy performed under general anaesthesia 345
BUTLER, B. D. *see* KATZ, J. 200

CALDWELL, J. E., CASTAGNOLI, K. P., CANFELL, P. C., FAHEY, M. R., LYNAM, D. P., FISHER, D. M. and MILLER, R. D. Pipecuronium and pancuronium: comparison of pharmacokinetics and duration of action 693
CALDWELL, M. D. *see* ROMBEAU, J. L., (*R*) 645
CALVEY, T. N. *see* O'SULLIVAN, E. P., (*C*) 238; (*C*) 642
CAMPBELL, I. T. *see* GANTA, R., (*ARS*) 116P; SARGINSON, R., (*ARS*) 113P
CAMPBELL, M. J. *see* LAWES, E. G. 250
CANFELL, P. C. *see* CALDWELL, J. E. 693
CARL, P. *see* HØGSKILDE, S. 462
CARLI, F. Peroperative normothermia attenuates an increase in postoperative metabolic rate in elderly patients, (*ARS*) 511P
CARLI, F. *see* KING, M. J. 403
CARR, A. B. *see* BEEMER, G. H. 680
CARR, C. M. E. *see* SIMPSON, K. H. 343
CARSON, I. W. *see* MATHEWS, H. M. L. 302
CARSON, R. J. and REYNOLDS, F. Maternal–fetal distribution of bupivacaine in the rabbit 332
CARTER, N. P. *see* MATHER, J. S., (*C*) 238
CASTAGNOLI, K. P. *see* CALDWELL, J. E. 693
CATTERMOLE, R. *see* COLMAN, R. D. 720
CHAKRABARTI, M. K. *see* SWENZEN, G. O. 441
CHARTERS, P. *see* HORTON, W. A., (*ARS*) 506P; (*ARS*) 109P
CHATER, S. N. *see* PARSLOE, M. 702
CHEEK, T. G., BANNER, R., SAUTER, J. and GUTSCHE, B. B. Prophylactic extradural blood patch is effective. *A Preliminary Communication* 340
CHILDS, D. *see* GANTA, R., (*ARS*) 116P
CHRUBASIK, J., WÜST, H., FRIEDRICH, G. and GELLER, E. Absorption and bioavailability of nebulized morphine 228
CHURCH, J. A. *see* MCMENEMIN, I. M. 669
CLARKE, R. S. J. *see* STANLEY, J. C., (*ARS*) 505P
COHEN, D. G. *see* COLMAN, R. D. 720
COHEN, M. *see* SAMPSON, I. H. 706
COLEMAN, P. *see* BRICKER, S. R. W. 776
COLLIER, P. S. *see* MATHEWS, H. M. L. 302
COLMAN, R. D., FRANK, M., LOUGHNAN, B. A., COHEN, D. G. and CATTERMOLE, R. Use of i.m. ranitidine for the prophylaxis of aspiration pneumonitis in obstetrics 720
COLVIN, J. R. and KENNY, G. N. C. Automatic control of arterial pressure after cardiac surgery with glyceryl trinitrate and sodium nitroprusside, (*ARS*) 117P
CONACHER, I. D. Postoperative paravertebral blocks for thoracic surgery, (*C*) 369; Isolated lung transplantation: a review of problems and guide to anaesthesia 468; Resin injection of thoracic paravertebral spaces 657
COOK, C. E. *see* FIRESTONE, L., (*R*) 245
COOPER, A. M. C. and MORRIS, P. J. Plasma glucose during induced hypotension, (*ARS*) 114P
COVINO, B. G. *see* BENZON, H. T. 754
CREAN, P. M. *see* SAMPAIO, M. M., (*ARS*) 498P
CRUICKSHANK, R. H., MORRISON, D. A. and NIMMO, W. S. Effect of i.v. omeprazole on intragastric pH and volume, (*ARS*) 503P
CRUL, J. F. *see* SMITH, D. C. 625

DATTA, S. *see* BENZON, H. T. 754
DAVIES, G. K. *see* APPLETON, D. F. J., (*ARS*) 501P
DAVIES, W. L. *see* SUGG, B. R. 484
DAVIS, F. M. The coagulation and fibrinolytic response to surgery, (*C*) 514
DAVIS, N. R. and MAPLESON, W. W. A physiological model for the distribution of injected agents, with special reference to pethidine, (*ARS*) 112P
DEACOCK, A. R. *see* KING, M. J. 403
DEKORNFELD, T. J. *see* ISRAEL, J. S., (*R*) 244
DENNIS, W. L. *see* BEEMER, G. H. 680
DERRINGTON, M. C. and HINDOCHA, N. Comparison of neuromuscular blockade in the diaphragm and the hand 279; Measurement of evoked diaphragm twitch strength during anaesthesia. *Adaptation and Evaluation of an Existing Technique* 270
DERRINGTON, M. C. *see* HINDOCHA, N., (*ARS*) 511P; Tubocurarine, pancuronium and alcuronium action on diaphragm and hand, (*ARS*) 106P
DESMONTS, J. M. *see* TIRET, L. 263
DIEDERICKS, J., LEONE, B. J., PHILBIN, D. M. and FOËX, P. Effect of verapamil on myocardial function in the presence of fentanyl, (*ARS*) 107P
DILLING-HANSEN, B. *see* HARALDSTED, V. Y. 479
DINESEN, K. *see* MØLLER, I. W. 160
DOLENSKA, S. *see* LAWES, E. G. 250
DOLIN, S. J., PATCH, T. L. and LITTLE, H. J. Tolerance to midazolam anaesthesia: lack of effects of nitrendipine and PK11195, (*ARS*) 508P
DONATI, F. *see* BEVAN, D. R., (*R*) 785; LAYCOCK, J. R. D. 286
DORJE, P. *see* BURNS, A. M. 350
DORRINGTON, K. L. *see* RATCLIFFE, F. M., (*ARS*) 499P
DOWNS, J. B. *see* RÄSÄNEN, J. 593
DROH, R. and SPINTGE, R., (editors) *Closed-Circuit System and Other Innovations in Anaesthesia*, (*R*) 125
DRUMMOND, G. B. Rapid inhalation induction of anaesthesia, (*E*) 373
DRUMMOND, G. B. *see* ALDRIDGE, L. M., (*ARS*) 508P; ANNAN, F. J., (*ARS*) 112P; LOGAN, M. R., (*ARS*) 109P

DUCKWORTH, R. *see* GANTA, R., (*ARS*) 116P; SARGINSON, R., (*ARS*) 113P
DUGGAN, J., BOWLER, G. M. R., MCCLURE, J. H. and WILDSMITH, J. A. W. Extradural block with bupivacaine: influence of dose, volume, concentration and patient characteristics 324
DUNCAN, P. W. Fresh gas flow requirements with the ADE anaesthetic system, (*C*) 242
DUNDEE, J. W., MILLIGAN, K. R. and MCKAY, A. C. Influence of intraoperative acupuncture and droperidol on postoperative emesis, (*ARS*) 116P
DUNDEE, J. W. *see* MATHEWS, H. M. L. 302; FITZPATRICK, K. T. J., (*ARS*) 117P
DUNNILL, M. S. *see* WATERS, J. H., (*ARS*) 500P
DWYER, R. *see* FLYNN, R. J. 382
DYKES, M. H. M. *see* OVASSAPIAN, A. 217
DZWONCZYK, R. R. *see* MCDONALD, J. S. 738

EDSTRÖM, H. H. *see* ALSTON, R. P. 144; MITCHELL, R. W. D. 139
EISENKRAFT, J. B. and HERLICH, A. Myoneural blockers and suxamethonium, (*C*) 642
ELÉXPURU CAMIRUAGA, J. A. *see* GÓMEZ SAINZ, J. J. 347
ELTON, R. A. *see* ALDRIDGE, L. M., (*ARS*) 508P
EMBREE, P. B. *see* ALI, H. H. 541
EMMOTT, R. S., GOLDHILL, D., PRICE, T., YATE, P. M. and FLYNN, P. J. Preliminary experiences with doxacurium (BWA 938U), a new non-depolarizing neuromuscular blocking agent, (*ARS*) 504P
EWEN, A. *see* MALTBY, J. R., (*ARS*) 113P

FAHEY, M. R. *see* CALDWELL, J. E. 693
FAHY, L. *see* HORTON, W. A., (*ARS*) 109P; (*ARS*) 506P
FELTS, J. A., (editor) *Clinics in Anaesthesiology, vol. 4; Anaesthesia and the Geriatric Patient*, (*R*) 519
FENECK, R. O. *see* WINDSOR, J. P. W. 662
FENWICK, P. B. C. *see* HOUSTON, H. G. 606
FERNÁNDEZ CANO, F. *see* GÓMEZ SAINZ, J. J. 347
FERRAZZA, C. *see* FIACCHINO, F., (*C*) 238
FIACCHINO, F., BRICCHI, M., MONTOLIVO, M., FERRAZZA, C. and BORRONI, V. Assessment of the Datex Relaxograph in accessory nerve stimulation, (*C*) 238
FIRESTONE, L., LEBOWITZ, P. W. and COOK, C. E., (editors) *Clinical Anesthesia Procedures of the Massachusetts General Hospital*, 3rd Edn, (*R*) 245
FISHER, D. M. *see* CALDWELL, J. E. 693
FISHER, G. C. Fresh gas flow requirements with the ADE anaesthetic system, (*C*) 241
FITZPATRICK, K. T. J., DUNDEE, J. W., GHALY, R. G. and PATTERSON, C. C. Is it necessary always to use the right forearm for acupuncture antiemesis?, (*ARS*) 117P
FITZPATRICK, K. T. J. *see* LYNAS, A. G. A., (*ARS*) 506P
FLETCHER, R. Carbon dioxide production in cyanotic children during anaesthesia with controlled ventilation 743; Deadspace after corrective cardiac surgery, (*C*) 366
FLYNN, J. F. *see* BAXTER, A. D., (*C*) 370
FLYNN, P. J. *see* EMMOTT, R. S., (*ARS*) 504P
FLYNN, R. J., MCMURRAY, T. J., DWYER, R. and MOORE, J. Comparison of plasma bupivacaine concentrations during continuous extradural infusion for labour 382
FLYNN, R. J. and MOORE, J. Effect of H_2-receptor antagonists on plasma lignocaine concentrations in the obstetric patient, (*ARS*) 512P
FOËX, P. Experimental models of myocardial ischaemia 44
FOËX, P. *see* DIEDERICKS, J., (*ARS*) 107P; STONE, J. G. 675
FOLDES, F. F. Bradycardia following vecuronium, (*C*) 240
FOSTER, G. R., BOWNESS, P., HOLDER, K. and OLIVEIRA, D. B. G. Hepatotoxicity after general anaesthesia, (*C*) 120
FOSTER, P. and ROELOFSE, J., (editors) *Databook of Anaesthesia and Critical Care Medicine*, (*R*) 243
FRANK, M. *see* COLMAN, R. D. 720
FRANKE, N. *see* TAEGER, K. 425
FRIEDRICH, G. *see* CHRUBASIK, J. 228
FROST, E. A. M., (editor) *Preanaesthetic Assessment 1*, (*R*) 785
FUNG, K. *see* LOW, J. M., (*ARS*) 502P

GANTA, R., DUCKWORTH, R., CHILDS, D., JAGADEESH, S. V. and CAMPBELL, I. T. Respiratory function after major hip surgery, (*ARS*) 116P
GARRETT, C. P. O. *see* RAMPTON, A. J. 730
GASPARINI, R. *see* LEHMANN, K. A. 297
GAZZARD, B. G. *see* PANOS, M. Z., (*C*) 371
GELLER, E. *see* CHRUBASIK, J. 228
GELMAN, S. *see* KISSIN, I., (*C*) 237
GHALY, R. G. *see* FITZPATRICK, K. T. J., (*ARS*) 117P
GIBSON, F. M. *see* STANLEY, J. C., (*ARS*) 505P
GIESECKE, K., HAMBERGER, B., JÄRNBERG, P.-O., KLINGSTEDT, C. and PERSSON, B. High- and low-dose fentanyl anaesthesia: hormonal and metabolic responses during cholecystectomy 575
GIESECKE, K., HAMBERGER, B., JÄRNBERG, P.-O. and KLINGSTEDT, C. Paravertebral block during cholecystectomy: effects on circulatory and hormonal responses 652
GILLMAN, M. A. Isoflurane: an appropriate alternative to analgesic nitrous oxide?, (*C*) 517
GISSEN, A. J. *see* BENZON, H. T. 754
GLYNN, C. J. *see* MCCALLUM, M. I. D. 308
GOLDHILL, D. *see* EMMOTT, R. S., (*ARS*) 504P
GOLDMAN, L. Assessment of the patient with known or suspected ischaemic heart disease for non-cardiac surgery 38
GOLMAN, M. E. *see* OVASSAPIAN, A. 217
GÓMEZ SAINZ, J. J., ELÉXPURU CAMIRUAGA, J. A., FERNÁNDEZ CANO, F. and DE LA HERRÁN, J. L. Effects of isoflurane on intraventricular pressure in neurosurgical patients 347
GOODMAN, N. W. What are we doing? A preliminary survey of published anaesthetic research in Britain 1970–1987, (*ARS*) 504P
GORDON, A. G. Blocked ear after extradural injection—a clarification, (*C*) 119
GRAHAM, N. B. *see* HANNING, C. D. 221
GRAMSTAD, L. *see* RØRVIK, K. 180
GRAY, W. M. *see* ROBB, H. M., (*ARS*) 109P; STONE, P. A., (*ARS*) 111P
GREEN, C. *see* SARGINSON, R., (*ARS*) 113P
GREULICH, A. *see* SCOTT, N. B. 165
GRIFFIN, R. M. Unilateral extradural blockade in obstetrics, (*C*) 365
GUSTAFSON, M. *see* VEGFORS, M. 771
GUTSCHE, B. B. *see* CHEEK, T. G. 340
GWINNUTT, C. L. and MEAKIN, G. Use of the post-tetanic count to monitor recovery from intense neuromuscular blockade in children 547

HAAGENSEN, R. and STEEN, P. A. Perioperative myocardial infarction 24
HAASIO, J., HEKALI, R. and ROSENBERG, P. H. Influence of premedication on lignocaine-induced toxicity and plasma concentrations of lignocaine 131
HAHN, C. E. W. *see* SUGG, B. R. 484
HALL, G. M. and LACOUMENTA, S. Local analgesic techniques for upper abdominal surgery—endocrine and metabolic effects, (*E*) 649
HALL, L. W. *see* WATNEY, G. C. G. 407
HALL, R. J. *see* HUG, C. C. JR 435
HALSALL, P. J. *see* SIMPSON, K. H. 343
HAMBERGER, B. *see* GIESECKE, K. 575; 652
HANKS, G. W. *see* POULAIN, P. 569
HANNING, C. D., VICKERS, A. P., SMITH, G., GRAHAM, N.

B. and McNeil, M. E. The morphine hydrogel suppository. *A New Sustained Release Rectal Preparation* 221
Haraldsted, V. Y., Nielsen, J. W., Joensen, F., Dilling-Hansen, B. and Hasselstrøm, L. Infusion of vecuronium assessed by tactile evaluation of evoked thumb twitch 479
Hardy, P. A. J. Anatomical variation in the position of the proximal intercostal nerve 338
Hargreaves, J. Benzodiazepine premedication in minor day-case surgery: comparison of oral midazolam and temazepam with placebo 611
Harper, N. J. N. Comparison of the adductor pollicis and the first dorsal interosseous muscles during atracurium and vecuronium blockade: an electromyographic study 477
Hart, A. P., Royston, R. L. and Johnston, W. E. Cardiac conduction interactions of propranolol and verapamil with halothane in pentobarbitone-anaesthetized dogs 748
Hart, D. M. *see* Burns, J. M. A. 345
Hartley, M. *see* Sarginson, R., (*ARS*) 113P
Hartmann-Andersen, F. *see* Mansen, M. 231
Harvey, J. *see* Willatts, S. M., (*ARS*) 502P
Hasselstrøm, L. *see* Haraldsted, V. Y. 479
Hatton, F. *see* Tiret, L. 263
Hawkins, D. R. *see* Boliston, T. A., (*ARS*) 510P
Hayes, B. *see* Tilling, S. E., (*C*) 368
Heagerty, A. M. Recent advances in therapy for hypertension 360
Healy, T. E. J. *see* Kay, B. 313; Stollery, B. T. 446
Hekali, R. *see* Haasio, J. 131
Henderson, P. D. *see* Peacock, J. E. 598
Hennis, P. J. *see* Lemmens, H. J. M. 173; (*ARS*) 111P
Herlich, A. *see* Eisenkraft, J. B., (*C*) 642
de la Herran, J. L. *see* Gómez Sainz, J. J. 347
Heykants, J. *see* Lehmann, K. A. 297
Hill, R. G. *see* Alexander, J. I., (*R*) 244
Hillis, W. S. *see* Burns, J. M. A. 345
Hindmarch, I., Jones, J. G. and Moss, E., (editors) *Aspects of Recovery from Anaesthesia*, (*R*) 243
Hindocha, N. and Derrington, M. C., Difficulty opening the mouth—anaesthetized non-paralysed patients, (*ARS*) 511P
Hindocha, N. *see* Derrington, M. C., (*ARS*) 106P; 270; 279; Jones, M. J. 475
Hjortsø, N. C. *see* Scott, N. B. 165
Hoare, A. M. *see* Boldy, D. A. R. 698
Hodges, M. R. *see* Räsänen, J. 593
Hoeft, A. *see* Kettler, D. 56
Høgskilde, S., Wagner, J., Carl, P., Anker, N., Angelo, H. R. and Sørensen, M. B. Anticonvulsive properties of pregnanolone emulsion compared with Althesin and thiopentone in mice 462
Holder, K. *see* Foster, G. R., (*C*) 120
Horton, W. A., Fahy, L. and Charters, P. Failure to control the hyoid—a common mechanism in difficult intubation with the MacIntosh blade?, (*ARS*) 506P; Position of MacIntosh blade during laryngoscopy, (*ARS*) 109P
Hoskin, P. J. *see* Poulain, P. 569
Houston, H. G., McClelland, R. J. and Fenwick, P. B. C. Effects of nitrous oxide on auditory cortical evoked potentials and subjective thresholds 606
Howard, P. J. *see* Mathews, H. M. L. 302
Howe, J. P., Orr, D. A., Kearney, E. J. and McArdle, L. Digital plethysmography during general anaesthesia: comparison of two techniques, (*ARS*) 118P
Howe, P. *see* McKeating, K., (*ARS*) 108P
Howie, A. F. *see* Aldridge, L. M., (*ARS*) 508P
Hug, C. C. jr, Hall, R. J., Angert, K. C., Reeder, D. A. and Moldenhauer, C. C. Alfentanil plasma concentration *v.* effect relationships in cardiac surgical patients 435
Hughes, R. L. *see* Burns, J. M. A. 345
Hunter, J. M. Atracurium or vecuronium for MHS patients?, (*C*) 513
Hunter, J. M. *see* Jones, J. E. 560; Parker, C. J. R. 531; (*ARS*) 105P
Husby, P. *see* Rørvik, K. 180

Ikonomakis, M. *see* Lehmann, K. A. 297
Inoue, K. and König, L. A. Effects of methohexitone, Althesin, ketamine and droperidol on peripheral vagal transmission 456
Irish, M. J. *see* Willatts, S. M., (*ARS*) 502P
Irwin, M. *see* Lawes, E. G. 250
Israel, J. S. and DeKornfeld, T. J., (editor) *Recovery Room Care* 2nd Edn., (*R*) 244

Jackson, R. *see* Sugg, B. R. 484
Jagadeesh, S. V. *see* Ganta, R., (*ARS*) 116P
James, M. F. M. Rapid sequence induction in pregnancy-associated hypertension—the role of magnesium, (*C*) 239
James, R. H. *see* Jones, M. J. 475; May, A. E., (*C*) 119
Järnberg, P.-O. *see* Giesecke, K. 575; 652
Jarvis, A. P. *see* Richards, M. J., (*ARS*) 510P; Skues, M. A., (*ARS*) 501P
Jefferson Penfield, A. *Gynecologic Surgery under Local Anesthesia*, (*R*) 646
Jennings, R. O. *see* Baxter, A. D., (*C*) 370
Jensen, L. V. *see* Schurizek, B. A. 712
Jensen, M. L. and Auer, R. N. Ketamine fails to protect against ischaemic neuronal necrosis in the rat 206
Joensen, F. *see* Haraldsted, V. Y. 479
Johnson, L. L. *see* Stone, J. G. 675
Johnston, A. *see* Poulain, P. 569
Johnston, W. E. *see* Hart, A. P. 748
Jöhr, M. *see* Salathé, M., (*C*) 123
Jones, J. E., Parker, C. J. R. and Hunter, J. M. Antagonism of blockade produced by atracurium or vecuronium with low doses of neostigmine 560
Jones, J. E. *see* Parker, C. J. R. 531
Jones, J. G. *see* Hindmarch, I., (*R*) 243; Konieczko, K. M. 318; Sapsford, D. J., (*ARS*) 497; Wheatley, R. G., (*ARS*) 110P
Jones, M. *see* Lin, E. S., (*ARS*) 500P
Jones, M. J., Mitchell, R. W. D., Hindocha, N. and James, R. H. The lower oesophageal sphincter in the first trimester of pregnancy: Comparison of supine with lithogomy positions 475
Jones, M. J. *see* Lin, E. S., (*ARS*) 111P
Jones, R. M., (editor) *Current European Anaesthesiology 1987*, (*R*) 243
Jordan, C. *see* Konieczko, K. M. 318; Watney, G. C. G. 407
Jørgensen, K. A. *see* Schou Olesen, A., (*C*) 514
Jover, B. *see* Blake, D. W. 194
Juhl, B. *see* Schurizek, B. A. 712
Justins, D. M. *see* Purcell-Jones, G., (*C*) 369

Kaplan, J. A. *see* Sampson, I. H. 706
Katagi, H. *see* Ohnishi, S. T. 565
Katz, J., Leiman, B. C. and Butler, B. D. Effects of inhalation anaesthetics on filtration of venous gas emboli by the pulmonary vasculature 200
Kay, B., Lindsay, R. G., Mason, C. J. and Healy, T. E. J. Oral nalbuphine for the treatment of pain after dental extractions 313
Kearney, E. J. *see* Howe, J. P., (*ARS*) 118P; McKeating, K., (*ARS*) 108P
Keen, R. I. *see* Stollery, B. T. 446
Kehlet, H. *see* Møller, I. W. 160; Scott, N. B. 165

KEILTY, S. R. *see* SAMPAIO, M. M., (*ARS*) 498P
KELMAN, A. W. *see* BURNS, J. M. A. 345
KENNY, G. N. C. *see* COLVIN, J. R., (*ARS*) 117P; MCMENEMIN, I. M. 492; 669
KETTLER, D. and HOEFT, A. Anaesthesia and ischaemic heart disease: laboratory results 56
KHAMBATTA, H. J. *see* STONE, J. G. 675
KING, M., (editor) *Primary Surgery, Volume 2: Trauma*, (*R*) 519
KING, M. J., MILAZKIEWICZ, R., CARLI, F. and DEACOCK, A. R. Influence of neostigmine on postoperative vomiting 403
KISSIN, I. and GELMAN, S. Components of anaesthesia, (*C*) 237
KLEMOLA, U.-L. *see* SAARNIVAARA, L. 390
KLINGSTEDT, C. *see* GIESECKE, K. 575; 652
KNIGGE, U. *see* MØLLER, I. W. 160
KOEHLI, N. *see* MALTBY, J. R., (*ARS*) 113P
KOLLER, M.-E. *see* RØRVIK, K. 180
KONG, K. L., WILLATTS, S. M. and PRYS-ROBERTS, C. Sedation of mechanically ventilated patients in the ITU: comparison of isoflurane with midazolam, (*ARS*) 115P
KONG, K. L. *see* WILLATTS, S. M., (*ARS*) 502P
KONIECZKO, K. M., JONES, J. G., BARROWCLIFFE, M. P., JORDAN, C. and ALTMAN, D. G. Antagonism of morphine-induced respiratory depression with nalmefene 318
KÖNIG, L. A. *see* INOUE, K. 456
KONINGS, A. W. T. *see* VENINGA, T. S. 413
KOUSOULIS, L. *see* PETERS, J. 617
KOX, W. and BIHARI, D. *Shock and the Adult Respiratory Distress Syndrome*, (*R*) 244
KRAGLUND, K. *see* SCHURIZEK, B. A. 712
KREUSCHER, H. *see* ZENZ, M., (*R*) 784
KROSSA, M. *see* PETERS, J. 617

LACOUMENTA, S. *see* HALL, G. M., (*E*) 649
LAMBERTY, J. M. and WILSON, I. H. Single breath induction of anaesthesia with isoflurane, (*C*) 122
LAMMER, P. *see* MCCALLUM, M. I. D. 308
LANGREHR, D. *see* MIRANDA, D. R., (*R*) 126
LATIMER, R. D. *see* BETHUNE, D. W., (*C*) 367
LAVIES, N. G. The coagulation and fibrinolytic response to surgery, (*C*) 513
LAWES, E. G., NEWMAN, B., CAMPBELL, M. J., IRWIN, M., DOLENSKA, S. and THOMAS, T. A. Maternal inspired oxygen concentration and neonatal status for Caesarean section under general anaesthesia. *Comparison of Effects of 33% or 50% Oxygen in Nitrous Oxide* 250
LAWES, E. G. *see* BURNS, A. M. 350
LAYCOCK, J. R. D., DONATI, F., SMITH, C. E. and BEVAN, D. R. Potency of atracurium and vecuronium at the diaphragm and the adductor pollicis muscle 286
LEBOWITZ, P. W. *see* FIRESTONE, L., (*R*) 245
LEE, A., RAY, D., LITTLEWOOD, D. G. and WILDSMITH, J. A. W. Effect of dextrose concentration on the intrathecal spread of amethocaine 135
LEE, T. W. *see* LOW, J. M., (*ARS*) 502P
LEE, W. R. *see* STOLLERY, B. T. 446
LEHMANN, K. A., VAN PEER, A., IKONOMAKIS, M., GASPARINI, R. and HEYKANTS, J. Pharmacokinetics of droperidol in surgical patients under different conditions of anaesthesia 297
LEIMAN, B. C. *see* KATZ, J. 200
LEMMENS, H. J. M., BOVILL, J. G., HENNIS, P. J. and BURM, A. G. L. Effects of age on the pharmacodynamics of alfentanil during breast surgery, (*ARS*) 111P
LEMMENS, H. J. M., BURM, A. G. L., BOVILL, J. G. and HENNIS, P. J. Pharmacodynamics of alfentanil as a supplement to nitrous oxide anaesthesia in the elderly patient 173
LENNMARKEN, C. *see* VEGFORS, M. 771
LEONE, B. J. *see* DIEDERICKS, J., (*ARS*) 107P
LEVER, L. R. *see* BOLDY, D. A. R. 698
LEVINSON, G. *see* SHNIDER, S. M., (*R*) 521
LEVY, J. H. *Anaphylactic Reactions in Anesthesia and Intensive Care*, (*R*) 126
LEYNADIER, F. Prick test to diagnose anaphylaxis, (*C*) 365
LIN, E. S., SMITH, B. E., JONES, M. J. J. and MOTTRAM, S. D. A model for different modes of forced oscillation in the respiratory system during high frequency jet ventilation, (*ARS*) 111P
LIN, E. S., SMITH, B. E., JONES, M. and MOTTRAM, S.D. Variation of arterial partial pressure of oxygen with ventilation frequency during high frequency jet ventilation, (*ARS*) 500P
LINDBLAD, A., BERNOW, J. and MARŠÁL, K Fetal blood flow during intrathecal anaesthesia for elective Caesarean section 376
LINDGREN, L. *see* SAARNIVAARA, L. 390
LINDSAY, R. G. *see* KAY, B. 313
LINKENS, D. A. *see* ROBB, H. M., (*ARS*) 109P
LINTER, S. P. K. Unilateral extradural blockade in obstetrics, (*C*) 365
LITTLE, H. J. *see* DOLIN, S. J., (*ARS*) 508P
LITTLEWOOD, D. G. *see* ALSTON, R. P. 144; LEE, A. 135
LOGAN, M. R. and DRUMMOND, G. B. Movement of the sternum on induction of anaesthesia, (*ARS*) 109P
LOUGHNAN, B. A. *see* COLMAN, R. D. 720
LOW, J. M., LEE, T. W. and FUNG, K. Effect of respiratory acidosis on plasma catecholamines, (*ARS*) 502P
LUGNIER, A. *see* BELLER, J. P. 583
LUMB, P. D. and BRYAN-BROWN, C. W., (editors) *Complications in Critical Care Medicine*, (*R*) 644
LUNN, J. N. *Lecture Notes on Anaesthetics* 3rd Edn, (*R*) 520
LYNAM, D. P. *see* CALDWELL, J. E. 693
LYNAS, A. G. A., FITZPATRICK, K. T. J., BLACK, G. W. and MIRAKHUR, R. K. Influence of volatile anaesthetics on the potency of vecuronium in children, (*ARS*) 506P
LYONS, S. M. *see* MATHEWS, H. M. L. 302

MCARDLE, L. *see* HOWE, J. P., (*ARS*) 118P; MCKEATING, K., (*ARS*) 108P
MCCAFFERTY, D. F. *see* WOOLFSON, A. D. 589
MCCALLUM, M. I. D., GLYNN, C. J., MOORE, R. A., LAMMER, P. and PHILLIPS, A. M. Transcutaneous electrical nerve stimulation in the management of acute postoperative pain 308
MCCLELLAND, K. H. *see* WOOLFSON, A. D. 589
MCCLELLAND, R. J. *see* HOUSTON, H. G. 606
MCCLURE, J. H. *see* DUGGAN, J. 324
MCCONACHIE, I. *see* BUNTING, P. 773
MCDONALD, J. S. and DZWONCZYK, R. R. A time and motion study of the anaesthetist's intraoperative time 738
MCGEACHIE, J. F. *see* BUNTING, P. 169
MCGRAGHAN, T. *see* SUGG, B. R. 484
MCGRATH, B. P. *see* BLAKE, D. W. 194
MCKAY, A. C. *see* DUNDEE, J. W., (*ARS*) 116P
MCKEATING, K., HOWE, P., KEARNEY, E. J. and MCARDLE, L. Effect of propofol-induced anaesthesia on forearm blood flow in healthy patients, (*ARS*) 108P
MCKIERNAN, E. P. *see* MEAKIN, G., (*ARS*) 105P
MCMENEMIN, I. M., CHURCH, J. A. and KENNY, G. N. C. Sedation following cardiac surgery: evaluation of alfentanil and morphine in the presence of a computerized closed loop arterial pressure controller 669
MCMENEMIN, I. M. and KENNY, G. N. C. A computer controlled non-invasive haemodynamic monitoring system 492
MCMENEMIN, I. M. and PARBROOK, G. D. Isoflurane: an appropriate alternative to analgesic nitrous oxide?, (*C*) 517

McMURRAY, T. J. *see* FLYNN, R. J. 382
McNEIL, M. E. *see* HANNING, C. D. 221
McQUAY, H. J. Potential problems of using both opioids and local anaesthetic, (*C*) 121
MALLAIAH, S. *see* RAMPTON, A. J. 730
MALTBY, J. R., EWEN, A., KOEHLI, N. and STRUNIN, L. Preoperative fluids, ranitidine and opioid–atropine premedication, (*ARS*) 113P
MANARA, A. R. *see* PARK, G. R., (*C*) 240
MANGIN, P. *see* BELLER, J. P. 583
MANSEN, M., POULSEN, M. R., BENDIXEN, D. K. and HARTMANN-ANDERSEN, F. Incidence of sinusitis in patients with nasotracheal intubation 231
MAPLESON, W. W. *see* DAVIS, N. R., (*ARS*) 112P
MARŠÁL, K *see* LINDBLAD, A. 376
MARTIN, D. J. *see* RÄSÄNEN, J. 593
MARTINEZ PRETEL, C. M. *see* PÉREZ GUILLERMO, F. 233
MASON, C. J. *see* KAY, B. 313
MATHER, J. S. and CARTER, N. P. Suxamethonium myalgia, (*C*) 238
MATHEWS, H. M. L., CARSON, I. W., LYONS, S. M., ORR, I. A., COLLIER, P. S., HOWARD, P. J. and DUNDEE, J. W. A pharmacokinetic study of midazolam in paediatric patients undergoing cardiac surgery 302
MAY, A. E., THEOPHILUS, S. W. J. and JAMES, R. H. Routine use of atropine in obstetric anaesthesia, (*C*) 119
MEAKIN, G., BAKER, R. D. and McKIERNAN, E. P. Dose–response curves for suxamethonium in neonates, infants and children, (*ARS*) 105P
MEAKIN, G. *see* GWINNUTT, C. L. 547
MEEK, R. *see* ALSTON, R. P. 144
MEHTA, S. Long term use of the Vocalaid tracheostomy tube for tracheal toilet, (*C*) 240
MERIN, R. G. Cardiac arrest following i.v. verapamil may be related to concomitant digoxin therapy as well as halothane, (*C*) 366
MILAZKIEWICZ, R. *see* KING, M. J. 403
MILLER, R. D. *see* CALDWELL, J. E. 693
MILLIGAN, K. R. *see* DUNDEE, J. W., (*ARS*) 116P
MIRAKHUR, R. K. *see* LYNAS, A. G. A., (*ARS*) 506P; STANLEY, J. C., (*ARS*) 505P
MIRANDA, D. R. and LANGREHR, D. *The I.C.U.—A Cost Benefit Analysis*, (*R*) 126
MITCHELL, R. W. D., BOWLER, G. M. R., SCOTT, D. B. and EDSTRÖM, H. H. Effects of posture and baricity on spinal anaesthesia with 0.5% bupivacaine 5 ml. *A Double-Blind Study* 139
MITCHELL, R. W. D. *see* JONES, M. J. 475
MIYAZAKI, M. *see* SUGAI, K., (*C*) 516
MOGENSEN, T. *see* SCOTT, N. B. 165
MOLDENHAUER, C. C. *see* HUG, C. C. JR 435
MØLLER, I. W. Cardiac arrest following i.v. verapamil may be related to concomitant digoxin therapy as well as halothane, (*C*) 366
MØLLER, I. W., DINESEN, K., SØNDERGÅRD, S., KNIGGE, U. and KEHLET, H. Effect of patient-controlled analgesia on plasma catecholamine, cortisol and glucose concentrations after cholecystectomy 160
MONTOLIVO, M. *see* FIACCHINO, F., (*C*) 238
MOORE, J. *see* FLYNN, R. J. 382; , (*ARS*) 512P
MOORE, R. A. *see* McCALLUM, M. I. D. 308
MOORES, M. A. Single breath induction of anaesthesia with isoflurane, (*C*) 121
MORGAN, B. M., (editor) *Foundations of Obstetric Anaesthesia 1987*, (*R*) 784
MORRELL, D. F. *see* UYS, P. C. 685
MORRIS, P. J. *see* COOPER, A. M. C., (*ARS*) 114P
MORRISON, D. A. *see* CRUICKSHANK, R. H., (*ARS*) 503P
MORTIMER, A. J. *see* WATERS, J. H., (*ARS*) 500P
MOSS, E. *see* HINDMARCH, I., (*R*) 243
MOTTRAM, S. D. *see* LIN, E. S., (*ARS*) 111P; (*ARS*) 500P
MURPHY, C. H. and MURPHY, M. R., (editors) *Radiology for Anesthesia and Critical Care*, (*R*) 125
MURPHY, D. F. Postoperative intercostal block, (*C*) 370
MURPHY, M. R. *see* MURPHY, C. H., (*R*) 125

NEWMAN, B. *see* LAWES, E. G. 250
NICHOLAS, A. D. G. *see* BAILEY, D. M. 557
NIELSEN, J. W. *see* HARALDSTED, V. Y. 479
NIELSEN, M. S. *see* BURNS, A. M. 350
NIESEL, H. C. *see* ZENZ, M., (*R*) 784
NIMMO, W. S. *see* CRUICKSHANK, R. H., (*ARS*) 503P; PEACOCK, J. E. 598
NIVOCHE, Y. *see* TIRET, L. 263
NOBLE, D. W. *see* ALDRIDGE, L. M., (*ARS*) 508P
NORLÉN, K. Central and regional haemodynamics during controlled hypotension produced by adenosine, sodium nitroprusside and nitroglycerin. *Studies in the Pig* 186
NORMAN, J. *see* SCOTT, R. P. F., (*ARS*) 505P; , (*E*) 528; SCOTT, R. P. F. 292
NUNN, J. F. *Applied Respiratory Physiology*, 3rd Edn, (*R*) 645; The first meeting of the Anaesthetic Research Society 639

OHNISHI, S. T., KATAGI, H., OHNISHI, T. and BROWNELL, A. K. W. Detection of malignant hyperthermia susceptibility using a spin label technique on red blood cells 565
OHNISHI, T. *see* OHNISHI, S. T. 565
OLIVEIRA, D. B. G. *see* FOSTER, G. R., (*C*) 120
ORR, D. A. *see* HOWE, J. P., (*ARS*) 118P
ORR, I. A. *see* MATHEWS, H. M. L. 302
O'SULLIVAN, E. P., WILLIAMS, N. E. and CALVEY, T. N. Myoneural blockers and suxamethonium, (*C*) 642; Suxamethonium myalgia, (*C*) 238
OTTENI, J. C. *see* BELLER, J. P. 583
OVASSAPIAN, A., YELICH, S. J., DYKES, M. H. M. and GOLMAN, M. E. Learning fibreoptic intubation: use of simulators *v.* traditional teaching 217

PALAYIWA, E. *see* SUGG, B. R. 484
PANHANS, C. *see* ZENZ, M., (*R*) 784
PANOS, M. Z., BURNETT, S. and GAZZARD, B. G. Use of naloxone in opioid-induced anaphylactoid reaction, (*C*) 371
PARBROOK, G. D. *see* McMENEMIN, I. M., (*C*) 517
PARK, G. R. and MANARA, A. R. Long term use of the Vocalaid tracheostomy tube for tracheal toilet, (*C*) 240
PARKER, C. J. R. and HUNTER, J. M. Plasma atracurium concentration–response relationship in patients anaesthetized with isoflurane, (*ARS*) 105P
PARKER, C. J. R., JONES, J. E. and HUNTER, J. M. Disposition of infusions of atracurium and its metabolite, laudanosine in patients in renal and respiratory failure in an ITU 531
PARKER, C. J. R. and SNOWDON, S. L. Predicted and measured oxygen concentrations in the circle system using low fresh gas flows with oxygen supplied by an oxygen concentrator 397
PARKER, C. J. R. *see* JONES, J. E. 560
PARR, N. *see* SARGINSON, R., (*ARS*) 113P
PARSLOE, M., CHATER, S. N., BEMBRIDGE, M. and SIMPSON, K. H. Premedication with piroxicam in patients having dental surgery under general anaesthesia with halothane or isoflurane 702
PATCH, T. L. *see* DOLIN, S. J., (*ARS*) 508P
PATERSON, G. M. C. *see* SMITH, W. D. A., (*R*) 784
PATTERSON, C. C. *see* FITZPATRICK, K. T. J., (*ARS*) 117P
PAUL, D. *see* WILDSMITH, J. A. W., (*ARS*) 503P
PAYNE, J. P. Thirty years on: anniversary of the founding of the Anaesthetic Research Society, (*E*) 523
PEACOCK, J. E., HENDERSON, P. D. and NIMMO, W. S. Changes in pupil diameter after oral administration of codeine 598

PEÑA MACÍAS, M. J. *see* PÉREZ GUILLERMO, F. 233
PÉREZ GUILLERMO, F., MARTINEZ PRETEL, C. M., TARIN ROYO, F., PEÑA MACÍAS, M. J., ALVAREZ OSSORIO, R., ALVAREZ GÓMEZ, J. A. and VIDAL, C. J. Prolonged suxamethonium-induced neuromuscular blockade associated with organophosphate poisoning 233
PERSSON, B. *see* GIESECKE, K. 575
PETER, K. *see* TAEGER, K. 425
PETERS, J., BREUKSCH, E., KOUSOULIS, L., KROSSA, M. and ARNDT, J. O. Regional skin temperatures associated with total sympathetic blockade in conscious dogs 617
PHILBIN, D. M. *see* DIEDERICKS, J., (*ARS*) 107P
PHILLIPS, A. M. *see* MCCALLUM, M. I. D. 308
PICHLMARY, I. *EEG Atlas for Anesthesiologists*, (*R*) 644
PLATT, P. R. *see* BEEMER, G. H. 680
PLOSKER, H. *see* SAMPSON, I. H. 706
POLLARD, B. J. and VAN DER SPEK, A. F. L. Differing interactions between hexamethonium and tubocurarine, pancuronium or alcuronium at the neuromuscular junction 419
POLLARD, B. J. *see* BEECH, M. J., (*ARS*) 497P; ROBERTS, S. P., (*ARS*) 106P
POTTECHER, T. *see* BELLER, J. P. 583
POULAIN, P., HOSKIN, P. J., HANKS, G. W., A-OMAR, O., WALKER, V. A., JOHNSTON, A., TURNER, P. and AHERNE, G. W. Relative bioavailability of controlled release morphine tablets (MST Continus) in cancer patients 569
POULSEN, M. R. *see* MANSEN, M. 231
POWER, L., BROWN, D. T. and WILDSMITH, J. A. W. Effect of fentanyl on nerve conduction, (*ARS*) 507P
PRICE, T. *see* EMMOTT, R. S., (*ARS*) 504P
PRYS-ROBERTS, C. Anaesthetic considerations for the patient with coronary artery disease 85
PRYS-ROBERTS, C. *see* KONG, K. L., (*ARS*) 115P; RICHARDS, M. J., (*ARS*) 510P; SKUES, M. A., (*ARS*) 501P; WILLATTS, S. M., (*ARS*) 502P
PUNNIA-MOORTHY, A. Buffering capacity of normal and inflamed tissues following the injection of local anaesthetic solutions 154
PURCELL-JONES, G. and JUSTINS, D. M. Postoperative paravertebral blocks for thoracic surgery, (*C*) 369

RACZ, G. *Problems and Advances in Respiratory Therapy. International Anesthesiology Clinics*, (*R*) 125
RAMETTI, L. B. *see* UYS, P. C. 685
RAMPTON, A. J., MALLAIAH, S. and GARRETT, C. P. O. Increased ventilation requirements during obstetric general anaesthesia 730
RÄSÄNEN, J., MARTIN, D. J., DOWNS, J. B. and HODGES, M. R. Oxygen supplementation during electroconvulsive therapy 593
RATCLIFFE, F. M., DORRINGTON, K. L. and SYKES, M. K. Optimum airway pressure during apnoeic oxygenation with extracorporeal carbon dioxide removal in experimental respiratory distress syndrome, (*ARS*) 499P
RAY, D. *see* ANNAN, F. J., (*ARS*) 112P; LEE, A. 135
RAY, D. C. *see* ALDRIDGE, L. M., (*ARS*) 508P
REED, P. N., WILKINS, C. J. and AITKENHEAD, A. R. Arterial oxygen desaturation following administration of 50% nitrous oxide, (*ARS*) 115P
REEDER, D. A. *see* HUG, C. C. JR 435
REES, G. A. D. *see* BOGOD, D. G. 255
REID, J. A. and THORBURN, J. Extradural bupivacaine or lignocaine anaesthesia for elective Caesarean section: the role of maternal posture 149
REID, M. F. *see* APPLETON, D. F. J., (*ARS*) 501P
REIZ, S. Myocardial ischaemia associated with general anaesthesia. *A Review of Clinical Studies* 68
REYNOLDS, F. Avoiding accidental dural puncture, (*C*) 515
REYNOLDS, F. *see* CARSON, R. J. 332
RICHARDS, M. J., SKUES, M. A., JARVIS, A. P. and PRYS-ROBERTS, C. Total i.v. anaesthesia with propofol and alfentanil: dose requirements for propofol, (*ARS*) 510P
RICHARDS, M. J. *see* SKUES, M. A., (*ARS*) 501P
RIDLEY, S. A. and BRAUDE, N. Post-tetanic count and intense neuromuscular blockade with vecuronium in children 551
ROBB, H. M., ASBURY, A. J., GRAY, W. M. and LINKENS, D. A. Towards automatic control of general anaesthesia with enflurane, (*ARS*) 109P
ROBERTS, S. P. and POLLARD, B. J. Onset of neuromuscular blockade—alcuronium and tubocurarine, alone and combined, (*ARS*) 106P
ROELOFSE, J. *see* FOSTER, P., (*R*) 243
ROMBEAU, J. L. and CALDWELL, M. D., (editors) *Parental Nutrition—Clinical Nutrition*, Volume 11, 1st Edn, (*R*) 645
RØRVIK, K., HUSBY, P., GRAMSTAD, L., VAMNES, J. S., BITSCH-LARSEN, L. and KOLLER, M.-E. Comparison of large dose of vecuronium and pancuronium for prolonged neuromuscular blockade 180
ROS, P. *see* BOER, F., (*ARS*) 108P
ROSEN, M. *see* BOGOD, D. G. 255
ROSENBERG, P. H. *see* HAASIO, J. 131
ROYSTON, R. L. *see* HART, A. P. 748

SAARNIVAARA, L., LINDGREN, L. and KLEMOLA, U.-L. Comparison of chloral hydrate and midazolam by mouth as premedicants in children undergoing otolaryngological surgery 390
SAFAR, P. and BIRCHER, N. G. *Cardiopulmonary Cerebral Resuscitation*, 3rd Edn, (*R*) 647
SALATHÉ, M. and JÖHR, M. Use of the post-tetanic train-of-four for evaluation of intense neuromuscular blockade with atracurium, (*C*) 123
SALEM, M. Transfer from recovery room to ward, (*C*) 241
SAMPAIO, M. M., CREAN, P. M., KEILTY, S. R. and BLACK, G. W. Changes in oxygen saturation during inhalation anaesthesia in children, (*ARS*) 498P
SAMPSON, I. H., PLOSKER, H., COHEN, M. and KAPLAN, J. A. Comparison of propofol and thiamylal for induction and maintenance of anaesthesia for outpatient surgery 706
SAPSED-BYRNE, S. *see* SWENZEN, G. O. 441
SAPSFORD, D. J. and JONES, J. G. Predicting changes in oxygen saturation using pulse oximetry, (*ARS*) 497P
SARGINSON, R., GREEN, C., DUCKWORTH, R., HARTLEY, M., PARR, N. and CAMPBELL, I. T. Effects of dopamine on gastric pressure, (*ARS*) 113P
SAUTER, J. *see* CHEEK, T. G. 340
SAVARESE, J. J. *see* ALI, H. H. 541
SAWICKA, E. J. and BRANTHWAITE, M. A. *Respiratory Emergencies*, (*R*) 646
SCHMELZER, F. *see* TAEGER, K. 425
SCHOU OLESEN, A. and JØRGENSEN, K. A. Effect of etomidate and metronidazole on platelet aggregation, (*C*) 514
SCHURIZEK, B. A., KRAGLUND, K., ANDREASEN, F., JENSEN, L. V. and JUHL, B. Gastrointestinal motility and gastric pH and emptying following ingestion of diazepam 712
SCOTT, D. B. Test doses in extradural block, (*E*) 129
SCOTT, D. B. *see* MITCHELL, R. W. D. 139
SCOTT, N. B., MOGENSEN, T., GREULICH, A., HJORTSØ, N. C. and KEHLET, H. No effect of continuous i.p. infusion of bupivacaine on postoperative analgesia, pulmonary function and the stress response to surgery 165
SCOTT, R. P. F. and NORMAN, J. Effect of suxamethonium given during recovery from atracurium 292; Do we need more muscle relaxants?, (*E*) 528; Doxacurium: A preliminary clinical trial, (*ARS*) 505P

SEAR, J. W. Drug metabolites in anaesthetic practice—are they important?, (*E*) 525; Kinetic modelling—does the method influence the result?, (*ARS*) 509P
SEAR, J. W. *see* STONE, J. G. 675
SEBEL, P. S. *see* WINDSOR, J. P. W. 662
SELWYN CRAWFORD, J. Fetal well-being and maternal awareness, (*E*) 247
SEVERN, A. M. Parkinsonism and the anaesthetist 761
SHADBOLT, P. *see* SUGG, B. R. 484
SHANKS, C. A *see* BENZON, H. T. 754
SHERRY, K. *see* WINDSOR, J. P. W. 662
SHNIDER, S. M. and LEVINSON, G. *Anesthesia for Obstetrics* 2nd Edn, (*R*) 521
SIMPSON, K. H., HALSALL, P. J., CARR, C. M. E. and STEWART, K. J. Propofol reduces seizure duration in patients having anaesthesia for electroconvulsive therapy 343
SIMPSON, K. H. *see* PARSLOE, M. 702
SJÖBERG, F. *see* VEGFORS, M. 771
SKUES, M. A., RICHARDS, M. J., JARVIS, A. P. and PRYS-ROBERTS, C. Total i.v. anaesthesia with propofol and alfentanil: influence of vagolytic agents on haemodynamics and recovery, (*ARS*) 501P
SKUES, M. A. *see* RICHARDS, M. J., (*ARS*) 510P
SLEYFER, D. T. *see* VENINGA, T. S. 413
SMITH, B. E. *see* LIN, E. S., (*ARS*) 500P; (*ARS*) 111P
SMITH, C. E. *see* LAYCOCK, J. R. D. 286
SMITH, D. C. and CRUL, J. F. Early postoperative hypoxia during transport 625
SMITH, G. Anaesthesia and myocardial ischaemia, (*E*) 1
SMITH, G. *see* HANNING, C. D. 221
SMITH, W. D. A. and PATERSON, G. M. C., (editors) *A Tribute to Professor Sir Robert Macintosh for his 90th Birthday*, (*R*) 784
SNOWDON, S. L. *see* PARKER, C. J. R. 397
SOMERVILLE, D. *see* WHEATLEY, R. G., (*ARS*) 110P
SØNDERGÅRD, S. *see* MØLLER, I. W. 160
SØRENSEN, M. B. *see* HØGSKILDE, S. 462
VAN DER SPEK, A. F. L. *see* POLLARD, B. J. 419
SPENCE, A. A. Halothane, (*C*) 124
SPENCER, P. A. *see* BOLDY, D. A. R. 698
SPINTGE, R. *see* DROH, R., (*R*) 125
STANLEY, J. C., MIRAKHUR, R. K., GIBSON, F. M. and CLARKE, R. S. J. Comparison of potency of pipecuronium bromide and pancuronium bromide, (*ARS*) 505P
STEEN, P. A. *see* HAAGENSEN, R. 24
STEPHEN, C. R. and ASSAF, R. A. E. *Geriatric Anaesthesia. Principles and Practice*, (*R*) 126
STEWART, K. J. *see* SIMPSON, K. H. 343
STOLLERY, B. T., BROADBENT, D. E., LEE, W. R., KEEN, R. I., HEALY, T. E. J. and BEATTY, P. Mood and cognitive functions in anaesthetists working in actively scavenged operating theatres 446
STONE, J. G., FOËX, P., SEAR, J. W., JOHNSON, L. L., KHAMBATTA, H. J. and TRINER, L. Risk of myocardial ischaemia during anaesthesia in treated and untreated hypertensive patients 675
STONE, P. A., ASBURY, A. J. and GRAY, W. M. Use of scavenging facilities and occupational exposure to waste anaesthetic gases, (*ARS*) 111P
STOUT, R. G. *see* ALI, H. H. 541
STREISAND, J. B. and WONG, K. C. Anaesthesia for coronary artery bypass graft 97
STRICHARTZ, G. R. *see* BENZON, H. T. 754
STRUNIN, L. Halothane: plus ça change, plus c'est la même chose, (*C*) 783
STRUNIN, L. *see* MALTBY, J. R., (*ARS*) 113P
SUGAI, K., SUGAI, Y., AZUMA, Y., TANAKA, Y. and MIYAZAKI, M. Vascular absorption of irrigation solution in percutaneous nephro–ureterolithotomy, (*C*) 516
SUGAI, Y. *see* SUGAI, K., (*C*) 516
SUGG, B. R., PALAYIWA, E., DAVIES, W. L., JACKSON, R., MCGRAGHAN, T., SHADBOLT, P., WELLER, S. J. and HAHN, C. E. W. An automated interferometer for the analysis of anaesthetic gas mixtures 484
SWENZEN, G. O., CHAKRABARTI, M. K., SAPSED-BYRNE, S. and WHITWAM, J. G. Selective depression by alfentanil of group III and IV somatosympathetic reflexes in the dog 441
SYKES, M. K. *see* RATCLIFFE, F. M., (*ARS*) 499P; WATERS, J. H., (*ARS*) 500P; YOUNG, J. D. 601

TAEGER, K., WENINGER, E., SCHMELZER, F., ADT, M., FRANKE, N. and PETER, K. Pulmonary kinetics of fentanyl and alfentanil in surgical patients 425
TANAKA, Y. *see* SUGAI, K., (*C*) 516
TARIN ROYO, F. *see* PÉREZ GUILLERMO, F. 233
THEOPHILUS, S. W. J. *see* MAY, A. E., (*C*) 119
THOMAS, T. A. *see* LAWES, E. G. 250
THORBURN, J. *see* REID, J. A. 149
TILLING, S. E. and HAYES, B. Heat and moisture exchangers, (*C*) 368
TIRET, L., NIVOCHE, Y., HATTON, F., DESMONTS, J. M. and VOURC'H, G. Complications related to anaesthesia in infants and children. *A Prospective Survey of 40 240 Anaesthetics* 263
TRINER, L. *see* STONE, J. G. 675
TURNER, P. *see* POULAIN, P. 569

UNWIN, P. R. *see* BOLDY, D. A. R. 698
UYS, P. C., MORRELL, D. F., BRADLOW, H. S. and RAMETTI, L. B. Self-tuning, microprocessor-based closed-loop control of atracurium-induced neuromuscular blockade 685

VAMNES, J. S. *see* RØRVIK, K. 180
VAN PEER, A. *see* LEHMANN, K. A. 297
VEGFORS, M., GUSTAFSON, M., SJÖBERG, F. and LENNMARKEN, C. Pulse oximetry during extradural analgesia for extracorporeal shock wave lithotripsy 771
VENINGA, T. S., VRIESENDORP, R., BLOM-MUILWIJK, M. C., SLEYFER, D. T. and KONINGS, A. W. T. Absence of an additional fibrotic response caused by oxygen in the lungs of rats after the intrathecal administration of bleomycin 413
VIBY-MOGENSEN, J. Routine use of atropine in obstetric anaesthesia, (*C*) 119
VICKERS, A. P. *see* HANNING, C. D. 221
VIDAL, C. J. *see* PÉREZ GUILLERMO, F. 233
VOURC'H, G. *see* TIRET, L. 263
VRIESENDORP, R. *see* VENINGA, T. S. 413

WAGNER, J. *see* HØGSKILDE, S. 462
WALKER, V. A. *see* POULAIN, P. 569
WALTERS, F. J. M. *see* WILLATTS, S. M., (*R*) 520
WATERS, J. H., MORTIMER, A. J., SYKES, M. K. and DUNNILL, M. S. Effect of PEEP with high frequency jet ventilation in rabbit respiratory distress syndrome, (*ARS*) 500P
WATNEY, G. C. G., HALL, L. W. and JORDAN, C. Influence of acute isocapnic hypoxia on bronchial calibre and "expiratory reserve" volume in dogs 407
WEAKLY, J. N. *see* ALI, H. H. 541
WEE, M. A speaking adaptor for a tracheostomy tube, (*C*) 516
WELLER, S. J. *see* SUGG, B. R. 484
WENINGER, E. *see* TAEGER, K. 425
WESTENSKOW, D. R. *see* BRUNNER, J. X. 628
WESTON, G. A. *see* APPLETON, D. F. J., (*ARS*) 501P
WHEATLEY, R. G., SOMERVILLE, D. and JONES, J. G. Computerized analysis of continuous pulse oximetry for prolonged perioperative studies, (*ARS*) 110P

WHITWAM, J. G. *see* SWENZEN, G. O. 441
WILDSMITH, J. A. W., BROWN, D. T. and PAUL, D. Differential nerve blockade: effects of drug type and stimulation frequency, (*ARS*) 503P
WILDSMITH, J. A. W. *see* DUGGAN, J. 324; LEE, A. 135; POWER, L., (*ARS*) 507P
WILKINS, C. J. *see* REED, P. N., (*ARS*) 115P
WILLATTS, S. M., KONG, K. L., PRYS-ROBERTS, C., HARVEY, J. and IRISH, M. J. Plasma catecholamine concentrations during sedation for ventilated patients requiring intensive therapy, (*ARS*) 502P
WILLATTS, S. M. and WALTERS, F. J. M. *Anaesthesia and Intensive Care for the Neurosurgical Patient*, (*R*) 520
WILLATTS, S. M. *see* KONG, K. L., (*ARS*) 115P
WILLIAMS, N. E. *see* O'SULLIVAN, E. P., (*C*) 238; (*C*) 642
WILLIAMSON, R. Anaesthetic contribution to maternal mortality, (*C*) 518
WILSON, I. H. *see* LAMBERTY, J. M., (*C*) 122
WINDSOR, J. P. W., SHERRY, K., FENECK, R. O. and SEBEL, P. S. Sufentanil and nitrous oxide anaesthesia for cardiac surgery 662
WONG, K. C. *see* STREISAND, J. B. 97
WOOD, D. A. Aetiology of ischaemic heart disease 3
WOOLFSON, A. D., MCCAFFERTY, D. F., MCCLELLAND, K. H. and BOSTON, V. Concentration–response analysis of percutaneous local anaesthetic formulations 589
WÜST, H. *see* CHRUBASIK, J. 228

YATE, P. M. *see* EMMOTT, R. S., (*ARS*) 504P
YATES, D. W. Adenotonsillar hypertrophy and cor pulmonale 355
YELICH, S. J. *see* OVASSAPIAN, A. 217
YOUNG, J. D. and SYKES, M. K. A method for measuring tidal volume during high frequency jet ventilation 601

ZBINDEN, S. Unilateral extradural blockade in obstetrics, (*C*) 365
ZENZ, M., PANHANS, C., NIESEL, H. C. and KREUSCHER, H. *Regional Anaesthesia*, (*R*) 784

SUBJECT INDEX

A History of the Nuffield Department of Anaesthetics, Oxford 1937–1987, BEINHART, J., (*R*) 519
A Tribute to Professor Sir Robert Macintosh for his 90th Birthday, SMITH, W. D. A., *et al.*, (editors), (*R*) 784
Absorption, and bioavailability of nebulized morphine, CHRUBASIK, J., *et al.* 228
Accessory nerve stimulation, for assessment of the Datex Relaxograph, FIACCHINO, F., *et al.*, (*C*) 238
Accidental dural puncture, avoiding, REYNOLDS, F., (*C*) 515
Acid aspiration, effect of i.v. omeprazole in reducing acid aspiration risk factors, CRUICKSHANK, R. H., *et al.*, (*ARS*) 503P
Acidosis, respiratory, effect on plasma catecholamines, LOW, J. M., *et al.*, (*ARS*) 502P
Acupuncture, intraoperative, and droperidol, influence on postoperative emesis, DUNDEE, J. W., *et al.*, (*ARS*) 116P
Acupuncture antiemesis, is it necessary always to use the right forearm?, FITZPATRICK, K. T. J., *et al.*, (*ARS*) 117P
Acute postoperative pain, managed by transcutaneous electrical nerve stimulation (TENS), MCCALLUM, M. I. D., *et al.* 308
Adductor pollicis, compared with 1st dorsal interosseous muscles during atracurium and vecuronium blockade: an electromyographic study, HARPER, N. J. N. 477
Adductor pollicis muscle, and diaphragm, potency of atracurium and vecuronium, LAYCOCK, J. R. D., *et al.* 286
——, and the diaphragm, comparison of neuromuscular blockade, DERRINGTON, M. C., *et al.* 279
ADE anaesthetic system, and fresh gas flow requirements, DUNCAN, P. W., (*C*) 242
——, and fresh gas flow requirements, FISHER, G. C., (*C*) 241
Adenosine, sodium nitroprusside and nitroglycerin to produce controlled hypotension, effect on central and regional haemodynamics. *Studies in the pig*, NORLÉN, K. 186
Adenotonsillar hypertrophy, causing pulmonary heart disease in children with airway obstruction has been reported, YATES, D. W. 355
Adverse reactions, to atracurium and alcuronium, BEEMER, G. H., *et al.* 680
Aetiology, of ischaemic heart disease, WOOD, D. A. 3
Age, and body weight, influence on the linear pharmacokinetics of droperidol under different anaesthetic conditions, LEHMANN, K. A., *et al.* 297
——, effect on local anaesthetic sensitivity using an *in vitro* mammalian nerve preparation, BENZON, H. T., *et al.* 754
——, effects on the pharmacodynamics of alfentanil during breast surgery, LEMMENS, H. J. M., *et al.*, (*ARS*) 111P
Air embolism, effects of inhalation anaesthetics on the filtration ability of pulmonary circulation, KATZ, J., *et al.* 200
Airway obstruction, complicated by pulmonary hypertension resulting from adenotonsillar hypertrophy, YATES, D. W. 355
Alcuronium, and atracurium, adverse reactions, BEEMER, G. H., *et al.* 680
——, and tubocurarine alone and combined, onset of neuromuscular blockade, ROBERTS, S. P., *et al.*, (*ARS*) 106P
Alcuronium, differing interactions with hexamethonium, tubocurarine and pancuronium at the neuromuscular junction, POLLARD, B. J., *et al.* 419
——, or other myoneural blockers, use of post-tetanic count to monitor recovery, GWINNUTT, C. L., *et al.* 547
——, tubocurarine and pancuronium, action on diaphragm and hand, DERRINGTON, M. C., *et al.*, (*ARS*) 106P
Alfentanil, and fentanyl, pulmonary kinetics in surgical patients, TAEGER, K., *et al.* 425
——, and propofol for total i.v. anaesthesia: dose requirements for propofol, RICHARDS, M. J., *et al.*, (*ARS*) 510P
——, and propofol for total i.v. anaesthesia: influence of vagolytic agents on haemodynamics and recovery, SKUES, M. A., *et al.*, (*ARS*) 501P
——, as a supplement to nitrous oxide anaesthesia, pharmacodynamics in the elderly patient, LEMMENS, H. J. M., *et al.* 173
——, assessment of sedative and analgesic properties and effects on cardiovascular stability, MCMENEMIN, I. M., *et al.* 669
——, effects of age on the pharmacodynamics during breast surgery, LEMMENS, H. J. M., *et al.*, (*ARS*) 111P
——, plasma concentrations *v.* effect relationships in cardiac surgical patients, HUG, C. C. JR, *et al.* 435
——, selective depression of group III and IV somatosympathetic reflexes in the dog, SWENZEN, G. O., *et al.* 441
Althesin, anticonvulsive properties compared with pregnanolone emulsion and thiopentone in mice, HØGSKILDE, S., *et al.* 462
——, haemodynamic and heart rate reflex responses compared with propofol in the rabbit, BLAKE, D. W., *et al.* 194
——, methohexitone, ketamine and droperidol, effects on peripheral vagal transmission, INOUE, K., *et al.* 456
Amethocaine, concentration–response analysis of percutaneous local anaesthetic formulations, WOOLFSON, A. D., *et al.* 589
——, intrathecal spread, effect of dextrose concentration, LEE, A., *et al.* 135
Anaesthesia, for isolated lung transplantation, review of problems and guide to, CONACHER, I. D. 468
Anaesthesia and Intensive Care for the Neurosurgical Patient, WILLATTS, S. M., *et al.*, (*R*) 520
Anaesthetic agents, influence of occupational exposure on mood and cognitive function in anaesthetists working in scavenged operating theatres, STOLLERY, B. T., *et al.* 446
Anaesthetic complications, in infants and children. *A prospective survey of 40 240 anaesthetics*, TIRET, L., *et al.* 263
Anaesthetic research, published, a preliminary survey in Britain 1970–1987, GOODMAN, N. W., (*ARS*) 504P
Anaesthetic Research Society, anniversary of the founding, thirty years on, PAYNE, J. P., (*E*) 523
——, first meeting, NUNN, J. F. 639
Anaesthetic techniques, awake nasal intubation for Caesarean section for a mother with pre-eclampsia, the Klippel-Feil syndrome and congenital hydrocephalus, BURNS, A. M., *et al.* 350
Anaesthetist, a time and motion study of intraoperative procedures, MCDONALD, J. S., *et al.* 738
——, and Parkinsonism, a review, SEVERN, A. M. 761
Analgesia, produced by intercostal nerve blockade after appendicectomy, BUNTING, P., *et al.* 169

Analysis, of anaesthetic gas mixtures, with an automated interferometer, SUGG, B. R., *et al.* 484
Anaphylactic Reactions in Anaesthesia and Intensive Care, LEVY, J. H., (*R*) 126
Anaphylactoid reaction, opioid-induced, and use of naloxone, PANOS, M. Z., *et al.*, (*C*) 371
Anaphylaxis, diagnosed by prick test, LEYNADIER, F., (*C*) 365
Anatomical variation, in the position of the proximal intercostal nerve, HARDY, P. A. J. 338
Anesthesia for Obstetrics 2nd Edn, SHNIDER, S. M., *et al.*, (*R*) 521
Angina pectoris, acute ischaemia, anaesthetic considerations, PRYS-ROBERTS, C. 85
Antagonism, of blockade produced by atracurium or vecuronium with low doses of neostigmine, JONES, J. E., *et al.* 560
Anticonvulsive properties, of pregnanolone emulsion compared with Althesin and thiopentone in mice, HØGSKILDE, S., *et al.* 462
Antiemesis acupuncture, is it necessary always to use the right forearm?, FITZPATRICK, K. T. J., *et al.*, (*ARS*) 117P
Antroduodenal motility, gastric pH and emptying rate following diazepam, SCHURIZEK, B. A., *et al.* 712
Anxiolytic effects, and palatability of chloral hydrate compared with midazolam for oral premedication in children, SAARNIVAARA, L., *et al.* 390
Apnoea, prolonged, after the administration of suxamethonium associated with organophosphate poisoning, PÉREZ GUILLERMO, F., *et al.* 233
Appendicectomy, intercostal nerve blockade producing analgesia after, BUNTING, P., *et al.* 169
Applied Respiratory Physiology, 3rd Edn, NUNN, J. F., (*R*) 645
Argon, extent and time course of argon accumulation in a closed circuit breathing system, PARKER, C. J. R., *et al.* 397
Arrhythmias, effects of nadolol during laparoscopy under general anaesthesia, BURNS, J. M. A., *et al.* 345
Arterial oxygen desaturation, following administration of 50% nitrous oxide, REED, P. N., *et al.*, (*ARS*) 115P
Arterial partial pressure, of oxygen, variation with ventilation frequency during high frequency jet ventilation, LIN, E. S., *et al.*, (*ARS*) 500P
Arterial pressure, associated with coronary heart disease, WOOD, D. A. 3
——, automatic control after cardiac surgery with glyceryl trinitrate and sodium nitroprusside, COLVIN, J. R., *et al.*, (*ARS*) 117P
Aspects of Recovery from Anaesthesia, HINDMARCH, I., *et al.*, (editors), (*R*) 243
Aspiration pneumonitis, use of i.m. ranitidine in obstetrics, COLMAN, R. D., *et al.* 720
Atenolol, pretreatment provides prophylaxis for myocardial ischaemia in hypertensive patients, STONE, J. G., *et al.* 675
Atracurium, and alcuronium, adverse reactions, BEEMER, G. H., *et al.* 680
——, and its metabolite, laudanosine, disposition of infusions in patients in renal and respiratory failure in an ITU, PARKER, C. J. R., *et al.* 531
——, and vecuronium blockade, comparison of the adductor pollicis and 1st dorsal interosseous muscles: an electromyographic study, HARPER, N. J. N. 477
——, and vecuronium for neuromuscular blockade, a comparison in the diaphragm and adductor pollicis, DERRINGTON, M. C., *et al.* 279
——, and vecuronium, potency at the diaphragm and the adductor pollicis muscle, LAYCOCK, J. R. D., *et al.* 286
——, compared with vecuronium during anaesthesia for laparoscopy, BAILEY, D. M., *et al.* 557
Atracurium, effect of suxamethonium given during recovery of neuromuscular block by atracurium, SCOTT, R. P. F., *et al.* 292
——, for intense neuromuscular blockade, evaluation with the post-tetanic train-of-four, SALATHÉ, M., *et al.*, (*C*) 123
——, or other myoneural blockers to produce intense neuromuscular blockade in children, use of post-tetanic count to monitor recovery, GWINNUTT, C. L., *et al.* 547
——, or vecuronium for MHS patients?, ALLEN, G., (*C*) 513
——, or vecuronium for MHS patients?, HUNTER, J. M., (*C*) 513
——, or vecuronium with low doses of neostigmine, antagonism of blockade produced, JONES, J. E., *et al.* 560
——, plasma concentration–response relationship in patients anaesthetized with isoflurane, PARKER, C. J. R., *et al.*, (*ARS*) 105P
——, to induce neuromuscular blockade, control by self-tuning, microprocessor-based closed-loop system, UYS, P. C., *et al.* 685
——, vecuronium and suxamethonium compared with mivacurium chloride (BW B1090U) infusion, ALI, H. H., *et al.* 541
Atropine, and glycopyrrolate, influence on haemodynamics and recovery with total i.v. anaesthesia with propofol and alfentanil, SKUES, M. A., *et al.*, (*ARS*) 501P
——, routine use in obstetric anaesthesia, VIBY-MOGENSEN, J., (*C*) 119
——, routine use in obstetric anaesthesia, MAY, A. E., *et al.*, (*C*) 119
Auditory cortical evoked potentials, and subjective thresholds, effects of nitrous oxide, HOUSTON, H. G., *et al.* 606
Automatic control, of arterial pressure after cardiac surgery with glyceryl trinitrate and sodium nitroprusside, COLVIN, J. R., *et al.*, (*ARS*) 117P
Automatic control of anaesthesia, towards, with enflurane, ROBB, H. M., *et al.*, (*ARS*) 109P
Awareness, determined in a study to compare the effects of increasing $F_{I_{O_2}}$ upon fetal oxygenation during Caesarean section, BOGOD, D. G., *et al.* 255
——, maternal and fetal well-being, SELWYN CRAWFORD, J., (*E*) 247

Balanced anaesthesia, with nitrous oxide, effects of sufentanil on the haemodynamic responses of patients undergoing cardiac surgery, WINDSOR, J. P. W., *et al.* 662
Baricity, and posture, effects on spinal anaesthesia with 0.5% bupivacaine 5 ml. *A double-blind study*, MITCHELL, R. W. D., *et al.* 139
Barrier pressure, intragastric pressure and lower oesophageal sphincter pressure, effects of lithotomy and supine positions in the first trimester of pregnancy, JONES, M. J., *et al.* 475
Benzodiazepine, premedication in minor day-case surgery: comparison of oral midazolam and temazepam with placebo, HARGREAVES, J. 611
Beta-adrenoreceptor blocking compounds, may reduce frequency of arrhythmias during halothane anaesthesia, BURNS, J. M. A., *et al.* 345
Bioavailability, and absorption of nebulized morphine, CHRUBASIK, J., *et al.* 228
——, relative, of controlled release morphine tablets in cancer patients, POULAIN, P., *et al.* 569
Bleomycin, intrathecal instillation, to obtain minimal fibrotic alterations in lungs of rats, VENINGA, T. S., *et al.* 413
Blocked ear, after extradural injection—a clarification, GORDON, A. G., (*C*) 119

Blood patch, prophylactic extradural, is effective. *A Preliminary Communication*, CHEEK, T. G., *et al.* 340

Body weight, and age, influence on the linear pharmacokinetics of droperidol under different anaesthetic conditions, LEHMANN, K. A., *et al.* 297

Book Reviews

A History of the Nuffield Department of Anaesthetics, Oxford 1937–1987, BEINHART, J., (*R*) 519

A Tribute to Professor Sir Robert Macintosh for his 90th Birthday, SMITH, W. D. A., *et al.*, (editors), (*R*) 784

Anaesthesia and Intensive Care for the Neurosurgical Patient, WILLATTS, S. M., *et al.*, (*R*) 520

Anaphylactic Reactions in Anaesthesia and Intensive Care, LEVY, J. H., (*R*) 126

Anesthesia for Obstetrics 2nd Edn, SHNIDER, S. M., *et al.*, (*R*) 521

Applied Respiratory Physiology, 3rd Edn, NUNN, J. F., (*R*) 645

Aspects of Recovery from Anaesthesia, HINDMARCH, I., *et al.*, (editors), (*R*) 243

Cardiopulmonary Cerebral Resuscitation, 3rd Edn, SAFAR, P., *et al.*, (*R*) 647

Clinical Anesthesia Procedures of the Massachusetts General Hospital, 3rd Edn, FIRESTONE, L., *et al.*, (editors), (*R*) 245

Clinics in Anaesthesiology, vol. 4; Anaesthesia and the Geriatric Patient, FELTS, J. A., (editor), (*R*) 519

Closed-Circuit System and Other Innovations in Anaesthesia, DROH, R., *et al.*, (editors), (*R*) 125

Complications in Critical Care Medicine, LUMB, P. D., *et al.*, (editors), (*R*) 644

Current European Anaesthesiology 1987, JONES, R. M., (editor), (*R*) 243

Databook of Anaesthesia and Critical Care Medicine, FOSTER, P., *et al.*, (editors), (*R*) 243

EEG Atlas for Anesthesiologists, PICHLMARY, I., (*R*) 644

Foundations of Obstetric Anaesthesia 1987, MORGAN, B. M., (editor), (*R*) 784

Geriatric Anaesthesia. Principles and Practice, STEPHEN, C. R., *et al.*, (*R*) 126

Gynecologic Surgery under Local Anesthesia, JEFFERSON PENFIELD, A., (*R*) 646

Lecture Notes on Anaesthetics 3rd Edn., LUNN, J. N., (*R*) 520

Muscle Relaxants in Clinical Anaesthesia, BEVAN, D. R., *et al.*, (*R*) 785

Parental Nutrition—Clinical Nutrition, Volume 11, 1st Edn, ROMBEAU, J. L., *et al.*, (editors), (*R*) 645

Postoperative Pain Control, ALEXANDER, J. I., *et al.*, (*R*) 244

Preanaesthetic Assessment 1, FROST, E. A. M., (editor), (*R*) 785

Primary Surgery, Volume 2: Trauma, KING, M., (editor), (*R*) 519

Problems and Advances in Respiratory Therapy. International Anesthesiology Clinics, RACZ, G., (*R*) 125

Radiology for Anesthesia and Critical Care, MURPHY, C. H., *et al.*, (editors), (*R*) 125

Recovery Room Care 2nd Edn., ISRAEL, J. S., *et al.*, (editor), (*R*) 244

Regional Anaesthesia, ZENZ, M., *et al.*, (*R*) 784

Respiratory Emergencies, SAWICKA, E. J., *et al.*, (*R*) 646

Shock and the Adult Respiratory Distress Syndrome, KOX, W., *et al.*, (*R*) 244

The I.C.U.—A Cost Benefit Analysis, MIRANDA, D. R., *et al.*, (*R*) 126

Bradycardia, and routine use of atropine in obstetric anaesthesia, VIBY-MOGENSEN, J., (*C*) 119

——, and routine use of atropine in obstetric anaesthesia, MAY, A. E., *et al.*, (*C*) 119

——, following vecuronium, FOLDES, F. F., (*C*) 240

Bradycardia, Severe, following propofol–suxamethonium sequence, BARAKA, A. 482

Breast surgery, effects of age on the pharmacodynamics of alfentanil during, LEMMENS, H. J. M., *et al.*, (*ARS*) 111P

Bronchial calibre, and "expiratory reserve" volume in dogs, influence of acute isocapnic hypoxia, WATNEY, G. C. G., *et al.* 407

Bubble filtration, by the pulmonary vasculature, effects of inhalation anaesthetics, KATZ, J., *et al.* 200

Buffering capacity, of normal and inflamed tissues following the injection of local anaesthetic solutions, PUNNIA-MOORTHY, A. 154

Bupivacaine, 0.5%, 5ml, for spinal anaesthesia, effects of posture and baricity. *A double-blind study*, MITCHELL, R. W. D., *et al.* 139

——, 0.5% bupivacaine administered to seated patients, ALSTON, R. P. 385

——, continuous i.p. infusion has no effect on postoperative analgesia, pulmonary function and the stress response to surgery, SCOTT, N. B., *et al.* 165

——, for extradural block: influence of dose, volume, concentration and patient characteristics, DUGGAN, J., *et al.* 324

——, for ilioinguinal nerve blockade for analgesia after Caesarean section, BUNTING, P., *et al.* 773

——, hyperbaric for spinal anaesthesia: effects of concentration and volume when administered in the sitting position, ALSTON, R. P., *et al.* 144

——, in combination with fentanyl, effect on nerve conduction, POWER, L., *et al.*, (*ARS*) 507P

——, maternal–fetal distribution in the rabbit, CARSON, R. J., *et al.* 332

——, or lignocaine extradural anaesthesia for elective Caesarean section: the role of maternal posture, REID, J. A., *et al.* 149

——, plasma concentrations during continuous extradural infusion for labour, FLYNN, R. J., *et al.* 382

BW B1090U, mivacurium chloride, clinical pharmacology of an infusion: comparison with vecuronium, atracurium and suxamethonium, ALI, H. H., *et al.* 541

BWA 938, (Doxacurium chloride) a new non-depolarizing neuromuscular blocking agent, preliminary experiences, EMMOTT, R. S., *et al.*, (*ARS*) 504P

Caesarean section, anaesthetic management for a mother with pre-eclampsia, the Klippel-Feil syndrome and congenital hydrocephalus, BURNS, A. M., *et al.* 350

——, effects of increasing FI_{O_2} upon fetal oxygenation, BOGOD, D. G., *et al.* 255

——, elective, fetal circulation during intrathecal anaesthesia for, LINDBLAD, A., *et al.* 376

——, elective, using extradural bupivacaine or lignocaine anaesthesia: the role of maternal posture, REID, J. A., *et al.* 149

——, ilioinguinal nerve blockade for analgesia, BUNTING, P., *et al.* 773

——, under general anaesthesia, maternal inspired oxygen concentration and neonatal status, LAWES, E. G., *et al.* 250

Calcium channel, drugs acting on the calcium channel: progress with myocardial ischaemia, a review, BARNETT, D. B. 11

Cancer patients, relative bioavailability of controlled release morphine tablets (MST Continus), POULAIN, P., *et al.* 569

Carbon dioxide analysers, how the rise time influences the accuracy of carbon dioxide measurements, BRUNNER, J. X., *et al.* 628

Carbon dioxide measurements, influenced by the rise time of the carbon dioxide analyser, BRUNNER, J. X., *et al.* 628

Carbon dioxide production, in cyanotic children during

anaesthesia with controlled ventilation, FLETCHER, R. 743
Cardiac arrest, following i.v. verapamil may be related to concomitant digoxin therapy and halothane anaesthesia, MERIN, R. G., (*C*) 366
——, following i.v. verapamil may be related to concomitant digoxin therapy and halothane anaesthesia, MØLLER, I. W., (*C*) 366
Cardiac arrhythmias, effects of nadolol during laparoscopy under general anaesthesia, BURNS, J. M. A., *et al.* 345
Cardiac conduction, interactions of propranolol and verapamil with halothane in pentobarbitone-anaesthetized dogs, HART, A. P., *et al.* 748
Cardiac disease, cyanotic, carbon dioxide production in children during anaesthesia with controlled ventilation, FLETCHER, R. 743
Cardiac surgery, a pharmacokinetic study of midazolam in paediatric patients undergoing, MATHEWS, H. M. L., *et al.* 302
——, automatic control of arterial pressure after cardiac surgery with glyceryl trinitrate and sodium nitroprusside, COLVIN, J. R., *et al.*, (*ARS*) 117P
——, corrective, and deadspace, FLETCHER, R., (*C*) 366
——, sufentanil and nitrous oxide anaesthesia, WINDSOR, J. P. W., *et al.* 662
Cardiopulmonary bypass, effect of isoflurane on systemic oxygen uptake, ALSTON, R. P., (*ARS*) 498P
——, propofol decreases systemic vascular resistance during, BOER, F., *et al.*, (*ARS*) 108P
Cardiopulmonary Cerebral Resuscitation, 3rd Edn, SAFAR, P., *et al.*, (*R*) 647
Cardiovascular stability, evaluation of alfentanil and morphine in the presence of a computerized closed loop arterial pressure controller, MCMENEMIN, I. M., *et al.* 669
Catecholamine, cortisol and glucose plasma concentrations after cholecystectomy, effect of patient-controlled analgesia, MØLLER, I. W., *et al.* 160
Catecholamine concentrations, plasma, during sedation for ventilated patients requiring intensive therapy, WILLATTS, S. M., *et al.*, (*ARS*) 502P
Catecholamines, plasma, effect of respiratory acidosis, LOW, J. M., *et al.*, (*ARS*) 502P
Chest drain, a complication of intercostal insertion, BEESE, E., *et al.*, (*C*) 642
Children, and infants, anaesthetic complications. *A prospective study of 40 240 anaesthetics*, TIRET, L., *et al.* 263
——, carbon dioxide production in children with cyanotic cardiac disease with controlled ventilation, FLETCHER, R. 743
——, changes in oxygen saturation during inhalation anaesthesia, SAMPAIO, M. M., *et al.*, (*ARS*) 498P
——, comparison of chloral hydrate and midazolam by mouth as premedicants in children undergoing otolaryngological surgery, SAARNIVAARA, L., *et al.* 390
——, how the rise time of carbon dioxide analysers influences the accuracy of carbon dioxide measurements, BRUNNER, J. X., *et al.* 628
——, influence of volatile anaesthetics on the potency of vecuronium, LYNAS, A. G. A., *et al.*, (*ARS*) 506P
——, neonates and infants, dose–response curves for suxamethonium, MEAKIN, G., *et al.*, (*ARS*) 105P
——, post-tetanic count and intense neuromuscular blockade with vecuronium, RIDLEY, S. A., *et al.* 551
——, pulmonary heart disease in children with chronic upper airway obstruction resulting from adenotonsillar hypertrophy, YATES, D. W. 355
——, use of the post-tetanic count to monitor recovery from intense neuromuscular blockade, GWINNUTT, C. L., *et al.* 547
Chloral hydrate, compared with midazolam as oral premedicants in children undergoing otolaryngological surgery, SAARNIVAARA, L., *et al.* 390
Cholecystectomy, and paravertebral block: effects on circulatory and hormonal responses, GIESECKE, K., *et al.* 652
——, effect of patient-controlled analgesia on plasma catecholamine, cortisol and glucose concentrations after cholecystectomy, MØLLER, I. W., *et al.* 160
——, high- and low-dose fentanyl anaesthesia: hormonal and metabolic responses during cholecystectomy, GIESECKE, K., *et al.* 575
Cholesterol, serum concentration, related to coronary heart disease, WOOD, D. A. 3
Cholinesterase, low activity in plasma, resulting in apnoea induced by organophosphate poisoning, PÉREZ GUILLERMO, F., *et al.* 233
Cimetidine, or ranitidine, effect on plasma lignocaine concentrations in the obstetric patient, FLYNN, R. J., *et al.*, (*ARS*) 512P
Circle system, predicted and measured oxygen concentrations using low fresh gas flows with oxygen supplied by an oxygen concentrator, PARKER, C. J. R., *et al.* 397
Clinical Anesthesia Procedures of the Massachusetts General Hospital, 3rd Edn, FIRESTONE, L., *et al.*, (editors), (*R*) 245
Clinical studies, a review of myocardial ischaemia associated with general anaesthesia, REIZ, S. 68
Clinical trial, preliminary, of doxacurium, a new non-depolarizing long-active neuromuscular blocking agent, SCOTT, R. P. F., *et al.*, (*ARS*) 505P
Clinics in Anaesthesiology, vol. 4; Anaesthesia and the Geriatric Patient, FELTS, J. A., (editor), (*R*) 519
Closed circuit anaesthesia, predicted and measured oxygen concentrations using low fresh gas flows with oxygen supplied by an oxygen concentrator, PARKER, C. J. R., *et al.* 397
Closed loop arterial pressure controller, computerized, used to assess effects of alfentanil and morphine on cardiovascular stability, MCMENEMIN, I. M., *et al.* 669
Closed-Circuit System and Other Innovations in Anaesthesia, DROH, R., *et al.*, (editors), (*R*) 125
Closed-loop system, self-tuning microprocessor-based, for control of atracurium-induced neuromuscular blockade, UYS, P. C., *et al.* 685
Coagulation response, and fibrinolytic response to surgery, DAVIS, F. M., (*C*) 514
——, and fibrinolytic response to surgery, LAVIES, N. G., (*C*) 513
Codeine, oral administration, effect on changes in pupil diameter, PEACOCK, J. E., *et al.* 598
Cognitive functions, and mood in anaesthetists working in actively scavenged operating theatres, STOLLERY, B. T., *et al.* 446
Complications in Critical Care Medicine, LUMB, P. D., *et al.*, (editors), (*R*) 644
Components of anaesthesia, KISSIN, I., *et al.*, (*C*) 237
Computer controlled, non-invasive haemodynamic monitoring system, MCMENEMIN, I. M., *et al.* 492
Computerized analysis, of continuous pulse oximetry for prolonged perioperative studies, WHEATLEY, R. G., *et al.*, (*ARS*) 110P
Constant airway pressure, (CAP) optimum measured in a rabbit model of respiratory distress syndrome (RDS), RATCLIFFE, F. M., *et al.*, (*ARS*) 499P
Continuous pulse oximetry, computerized analysis for prolonged perioperative studies, WHEATLEY, R. G., *et al.*, (*ARS*) 110P
Controlled release morphine, tablets, (MST Continus), relative bioavailability in cancer patients, POULAIN, P., *et al.* 569

Coronary artery bypass graft, anaesthesia for, STREISAND, J. B., *et al.* 97
——, and sufentanil–enflurane–nitrous oxide anaesthesia, APPLETON, D. F. J., *et al.*, (*ARS*) 501P
Coronary artery bypass grafting, (CABG), use of alfentanil preceded by lorazepam as premedication, HUG, C. C. JR, *et al.* 435
Coronary artery disease, anaesthetic considerations for the patient, PRYS-ROBERTS, C. 85
——, and anaesthesia for coronary artery bypass graft, STREISAND, J. B., *et al.* 97
——, experimental models for myocardial ischaemia, FOËX, P. 44
——, pulmonary kinetics of fentanyl and alfentanil in patients with coronary artery disease, TAEGER, K., *et al.* 425
Corrective cardiac surgery, and deadspace, FLETCHER, R., (*C*) 366
Cortisol, catecholamine and glucose plasma concentrations after cholecystectomy, effect of patient-controlled analgesia, MØLLER, I. W., *et al.* 160
Cryoanalgesia, accurate location of the proximal intercostal nerve for successful cryoanalgesia, anatomical variation in the position of this nerve, HARDY, P. A. J. 338
CT-scanning, for examination of patients for radiological and bacteriological signs of sinusitis, MANSEN, M., *et al.* 231
Cumulative dose–response, technique, for comparing the potency of pipecuronium and pancuronium, STANLEY, J. C., *et al.*, (*ARS*) 505P
Current European Anaesthesiology 1987, JONES, R. M., (editor), (*R*) 243
Cyanotic children, carbon dioxide production during anaesthesia with controlled ventilation, FLETCHER, R. 743

Databook of Anaesthesia and Critical Care Medicine, FOSTER, P., *et al.*, (editors), (*R*) 243
Datex Relaxograph, assessment in accessory nerve stimulation, FIACCHINO, F., *et al.*, (*C*) 238
Deadspace, after corrective cardiac surgery, FLETCHER, R., (*C*) 366
Denervation, regional skin temperatures associated with total sympathetic blockade in conscious dogs, PETERS, J., *et al.* 617
Dental extractions, oral nalbuphine compared with oral dihydrocodeine for the treatment of moderate pain following dental surgery, KAY, B., *et al.* 313
——, outpatient, changes in oxygen saturation during inhalation anaesthesia in children, SAMPAIO, M. M., *et al.*, (*ARS*) 498P
Dental surgery, premedication with piroxicam in patients having general anaesthesia, PARSLOE, M., *et al.* 702
Dextrose, effect of concentration on the intrathecal spread of amethocaine, LEE, A., *et al.* 135
Diamorphine, or morphine, i.v., comparison of rate of onset of respiratory depression, ANNAN, F. J., *et al.*, (*ARS*) 112P
Diaphragm, and adductor pollicis muscle, potency of atracurium and vecuronium, LAYCOCK, J. R. D., *et al.* 286
——, and hand, action of tubocurarine, pancuronium and alcuronium, DERRINGTON, M. C., *et al.*, (*ARS*) 106P
——, and the adductor pollicis muscle, comparison of neuromuscular blockade, DERRINGTON, M. C., *et al.* 279
Diazepam, effects on gastrointestinal motility, and gastric emptying and pH, SCHURIZEK, B. A., *et al.* 712
——, or hyoscine+morphine premedication, influence on lignocaine-induced toxicity and plasma concentrations of lignocaine, HAASIO, J., *et al.* 131
Diazepam, or midazolam with pethidine? Sedation for endoscopy, BOLDY, D. A. R., *et al.* 698
Digital plethysmography, during general anaesthesia: comparison of two techniques, HOWE, J. P., *et al.*, (*ARS*) 118P
Digoxin, concomitant treatment in a patient receiving i.v. verapamil followed by halothane anaesthesia may result in cardiac arrest, MØLLER, I. W., (*C*) 366
——, concomitant treatment in a patient receiving i.v. verapamil followed by halothane anaesthesia may result in cardiac arrest, MERIN, R. G., (*C*) 366
Dihydrocodeine, oral, compared with oral nalbuphine for the treatment of pain after dental extractions, KAY, B., *et al.* 313
Dog, selective depression by alfentanil of group III and IV somatosympathetic reflexes in the dog, SWENZEN, G. O., *et al.* 441
Dogs, conscious, regional skin temperatures associated with total sympathetic blockade, PETERS, J., *et al.* 617
Dopamine, effects on gastric pressure, SARGINSON, R., *et al.*, (*ARS*) 113P
Doppler technique, and ultrasound used to ascertain whether the fetal circulation is affected by spinal anaesthesia, LINDBLAD, A., *et al.* 376
1st Dorsal interosseous, compared with adductor pollicis muscles during atracurium and vecuronium blockade; an electromyographic study, HARPER, N. J. N. 477
Dose requirements, for propofol: total i.v. anaesthesia, with propofol and alfentanil, RICHARDS, M. J., *et al.*, (*ARS*) 510P
Doxacurium, a preliminary clinical trial, SCOTT, R. P. F., *et al.*, (*ARS*) 505P
——, (BWA 938U), a new non-depolarizing neuromuscular blocking agent, preliminary experiences, EMMOTT, R. S., *et al.*, (*ARS*) 504P
Droperidol, and intraoperative acupuncture, influence on postoperative emesis, DUNDEE, J. W., *et al.*, (*ARS*) 116P
——, linear pharmacokinetics in surgical patients under different conditions of anesthesia, LEHMANN, K. A., *et al.* 297
——, methohexitone, Althesin and ketamine, effects on peripheral vagal transmission, INOUE, K., *et al.* 456
Drug therapy, progress with myocardial ischaemia, BARNETT, D. B. 11
Dural puncture, avoiding accidental, REYNOLDS, F., (*C*) 515
Duration of action, and pharmacokinetics of pipecuronium and pancuronium, CALDWELL, J. E., *et al.* 693

EEG Atlas for Anesthesiologists, PICHLMARY, I., (*R*) 644
Elderly patient, pharmacodynamics of alfentanil as a supplement to nitrous oxide anaesthesia in, LEMMENS, H. J. M., *et al.* 173
Elderly patients, peroperative normothermia attenuates an increase in postoperative metabolic rate, CARLI, F., (*ARS*) 511P
Elective pregnancy termination, propofol compared with thiamylal for induction and maintenance of anaesthesia, SAMPSON, I. H., *et al.* 706
Electroconvulsive therapy, and oxygen supplementation, RÄSÄNEN, J., *et al.* 593
——, propofol reduces seizure duration in patients having anaesthesia for ECT, SIMPSON, K. H., *et al.* 343
Electromyographic study, comparison of the adductor pollicis and the 1st dorsal interosseous muscles during atracurium and vecuronium blockade, HARPER, N. J. N. 477
Electromyography, used to compare atracurium and vecuronium during anaesthesia for laparoscopy, BAILEY, D. M., *et al.* 557
Electron paramagnetic resonance, and spin labelled red

blood cells to detect malignant hyperthermia susceptibility, OHNISHI, S. T., *et al.* 565
Emesis, assessed in patients premedicated with piroxicam for dental surgery under general anaesthesia, PARSLOE, M., *et al.* 702
——, postoperative, influence of intraoperative acupuncture and droperidol, DUNDEE, J. W., *et al.*, (*ARS*) 116P
Endocrine effects, and metabolic effects of local analgesic techniques for upper abdominal surgery, HALL, G. M., *et al.*, (*E*) 649
Endoscopy, sedation for: midazolam or diazepam and pethidine?, BOLDY, D. A. R., *et al.* 698
Enflurane, halothane and isoflurane and hepatotoxicity, FOSTER, G. R., *et al.*, (*C*) 120
——, halothane and isoflurane, influence on the potency of vecuronium in children, LYNAS, A. G. A., *et al.*, (*ARS*) 506P
——, or enflurane or neuroleptanaesthesia used in association with droperidol to study linear pharmacokinetics, LEHMANN, K. A., *et al.* 297
——, towards automatic control of general anaesthesia with, ROBB, H. M., *et al.*, (*ARS*) 109P
Enflurane–sufentanil–nitrous oxide anaesthesia, in patients for coronary artery bypass graft, APPLETON, D. F. J., *et al.*, (*ARS*) 501P
Epidemiological aspects, of perioperative myocardial infarction, HAAGENSEN, R., *et al.* 24
Etomidate, and metronidazole, effect on platelet aggregation, SCHOU OLESEN, A., *et al.*, (*C*) 514
Evoked diaphragm twitch strength, measurement during anaesthesia. *Adaptation and evaluation of an existing technique*, DERRINGTON, M. C., *et al.* 270
"Expiratory reserve volume", and bronchial calibre in dogs, influence of acute isocapnic hypoxia, WATNEY, G. C. G., *et al.* 407
Extended least squares non-linear regression analysis, (ELSFIT), subjected to data of concentration–time from 18 patients, SEAR, J. W., (*ARS*) 509P
Extracorporeal shock wave lithotripsy, and pulse oximetry during extradural analgesia, VEGFORS, M., *et al.* 771
Extradural anaesthesia, regional skin temperatures associated with total sympathetic blockade in conscious dogs, PETERS, J., *et al.* 617
Extradural analgesia, pulse oximetry for extracorporeal shock wave lithotripsy, VEGFORS, M., *et al.* 771
Extradural block, by bupivacaine or lignocaine anaesthesia for elective Caesarean section: the role of maternal posture, REID, J. A., *et al.* 149
——, test doses in, SCOTT, D. B., (*E*) 129
——, with bupivacaine: influence of dose, volume, concentration and patient characteristics, DUGGAN, J., *et al.* 324
Extradural blood patch, prophylactic, is effective. *A preliminary communication*, CHEEK, T. G., *et al.* 340
Extradural infusion, continuous, for labour, comparison of plasma bupivacaine concentrations, FLYNN, R. J., *et al.* 382
Extradural injection, resulting in blocked ear, a clarification, GORDON, A. G., (*C*) 119
Extradural space location, by "loss of resistance" technique using plastic syringes, evaluation of the gliding characteristics, BRICKER, S. R. W., *et al.* 776

Fentanyl, and alfentanil, pulmonary kinetics in surgical patients, TAEGER, K., *et al.* 425
——, effect of verapamil on myocardial function in the presence of, DIEDERICKS, J., *et al.*, (*ARS*) 107P
——, effect on nerve conduction, POWER, L., *et al.*, (*ARS*) 507P
——, high- and low-dose: hormonal and metabolic responses during cholecystectomy, GIESECKE, K., *et al.* 575
Fetal circulation, during intrathecal anaesthesia for elective Caesarean section, LINDBLAD, A., *et al.* 376
Fetal oxygenation, effects of increasing $F_{I_{O_2}}$ upon fetal oxygenation at a comparable depth of anaesthesia during Caesarean section, BOGOD, D. G., *et al.* 255
Fetal well-being, and maternal awareness, SELWYN CRAWFORD, J., (*E*) 247
Fibreoptic intubation, learning: use of simulators *v.* traditional teaching, OVASSAPIAN, A., *et al.* 217
Fibrinolytic response, and coagulation response to surgery, DAVIS, F. M., (*C*) 514
——, and coagulation response to surgery, LAVIES, N. G., (*C*) 513
Fibrotic alterations, minimal with intrathecal instillation of bleomycin in the lungs of rats, VENINGA, T. S., *et al.* 413
$F_{I_{O_2}}$, maximum, during Caesarean section, BOGOD, D. G., *et al.* 255
Forced oscillation, in the respiratory system during high frequency jet ventilation, a model for different modes, LIN, E. S., *et al.*, (*ARS*) 111P
Forearm blood flow, effect of propofol-induced anaesthesia in healthy patients, MCKEATING, K., *et al.*, (*ARS*) 108P
Foundations of Obstetric Anaesthesia 1987, MORGAN, B. M., (editor), (*R*) 784
Fresh gas flow requirements, with the ADE anaesthetic system, FISHER, G. C., (*C*) 241
——, with the ADE anaesthetic system, DUNCAN, P. W., (*C*) 242

Gas emboli, venous, effects of inhalation anaesthetics on the ability of the pulmonary circulation to filter air emboli, KATZ, J., *et al.* 200
Gastric emptying rate, gastric pH and gastrointestinal motility following ingestion of diazepam, SCHURIZEK, B. A., *et al.* 712
Gastric pH, and gastrointestinal motility and emptying following ingestion of diazepam, SCHURIZEK, B. A., *et al.* 712
Gastric pressure, effects of dopamine, SARGINSON, R., *et al.*, (*ARS*) 113P
Gastrointestinal motility, and gastric pH and emptying following diazepam, SCHURIZEK, B. A., *et al.* 712
General anaesthesia, and hepatotoxicity, FOSTER, G. R., *et al.*, (*C*) 120
——, associated with myocardial ischaemia. *A review of clinical studies*, REIZ, S. 68
——, increased ventilation requirements during obstetric general anaesthesia, RAMPTON, A. J., *et al.* 730
Geriatric Anaesthesia. Principles and Practice, STEPHEN, C. R., *et al.*, (*R*) 126
Gliding characteristics, of plastic syringes used to locate the extradural space by "loss of resistance" techniques, BRICKER, S. R. W., *et al.* 776
Glucose, catecholamine and cortisol plasma concentrations after cholecystectomy, effect of patient-controlled analgesia, MØLLER, I. W., *et al.* 160
——, plasma, during induced hypotension, COOPER, A. M. C., *et al.*, (*ARS*) 114P
Glutathione S-transferase, effect of hypotension and positive pressure ventilation, in patients receiving halothane or isoflurane, ALDRIDGE, L. M., *et al.*, (*ARS*) 508P
Glyceryl trinitrate, and sodium nitroprusside for automatic control of arterial pressure after cardiac surgery, COLVIN, J. R., *et al.*, (*ARS*) 117P
Glycopyrrolate, and atropine, influence on haemodynamics and recovery during total i.v. anaesthesia with propofol and alfentanil, SKUES, M. A., *et al.*, (*ARS*) 501P
Gynecologic Surgery under Local Anesthesia, JEFFERSON PENFIELD, A., (*R*) 646

H_2-Receptor antagonists, effect on plasma lignocaine concentrations in the obstetric patient, FLYNN, R. J., *et al.*, (*ARS*) 512P
Haemodynamic monitoring system, computer controlled non-invasive, MCMENEMIN, I. M., *et al.* 492
Haemodynamic responses, and heart rate reflex response to propofol in the rabbit. *Comparison with Althesin*, BLAKE, D. W., *et al.* 194
——, of patients undergoing cardiac surgery, effects of sufentanil during nitrous oxide anaesthesia, WINDSOR, J. P. W., *et al.* 662
Haemodynamics, and recovery, influence of vagolytic agents during total i.v. anaesthesia with propofol and alfentanil, SKUES, M. A., *et al.*, (*ARS*) 501P
——, central and regional, during controlled hypotension produced by adenosine, sodium nitroprusside and nitroglycerin. *Studies in the pig*, NORLÉN, K. 186
Halothane, SPENCE, A. A., (*C*) 124
——, ASSCHER, A. W., (*C*) 123
——, and isoflurane anaesthesia, changes in oxygen saturation during anaesthesia in children, SAMPAIO, M. M., *et al.*, (*ARS*) 498P
——, and isoflurane for general anaesthesia for patients having dental surgery, premedicated with piroxicam, PARSLOE, M., *et al.* 702
——, cardiac conduction interactions of propranolol and verapamil with halothane in pentobarbitone-anaesthetized dogs, HART, A. P., *et al.* 748
——, concomitant treatment with digoxin in a patient receiving i.v. verapamil followed by halothane anaesthesia may influence A–V conduction, MERIN, R. G., (*C*) 366
——, concomitant treatment with digoxin in a patient receiving i.v. verapamil followed by halothane anaesthesia may influence A–V conduction, MØLLER, I. W., (*C*) 366
——, enflurane and isoflurane and hepatotoxicity, FOSTER, G. R., *et al.*, (*C*) 120
——, enflurane and isoflurane, influence on the potency of vecuronium in children, LYNAS, A. G. A., *et al.*, (*ARS*) 506P
——, or enflurane or neuroleptanaesthesia used in association with droperidol to study linear pharmacokinetics, LEHMANN, K. A., *et al.* 297
——, or isoflurane, effect of hypotension and positive pressure ventilation on glutathione S-transferase, ALDRIDGE, L. M., *et al.*, (*ARS*) 508P
——, pentobarbitone and isoflurane, effects of filtration ability of pulmonary circulation, KATZ, J., *et al.* 200
——, plus ça change, plus c'est la même chose, STRUNIN, L., (*C*) 783
Hand, and diaphragm, action of tubocurarine, pancuronium and alcuronium, DERRINGTON, M. C., *et al.*, (*ARS*) 106P
Headache, mild occipital, developed after prophylactic extradural blood patch, CHEEK, T. G., *et al.* 340
Heart rate reflex response, and haemodynamic responses to propofol in the rabbit. *Comparison with Althesin*, BLAKE, D. W., *et al.* 194
Heat and moisture exchangers, TILLING, S. E., *et al.*, (*C*) 368
——, BETHUNE, D. W., *et al.*, (*C*) 367
Hepatotoxicity, after general anaesthesia, FOSTER, G. R., *et al.*, (*C*) 120
Hexamethonium, differing interactions with tubocurarine, pancuronium and alcuronium at the neuromuscular junction, POLLARD, B. J., *et al.* 419
High frequency jet ventilation, a method for measuring tidal volume, YOUNG, J. D., *et al.* 601
——, a model for different modes of forced oscillation in the respiratory system during, LIN, E. S., *et al.*, (*ARS*) 111P
——, effect of PEEP in rabbit respiratory distress syndrome, WATERS, J. H., *et al.*, (*ARS*) 500P
High frequency jet ventilation, (HFJV), variation of arterial partial pressure of oxygen with ventilation frequency, LIN, E. S., *et al.*, (*ARS*) 500P
Hip surgery, major, and respiratory function, GANTA, R., *et al.*, (*ARS*) 116P
Hormonal responses, and metabolic responses to high- and low-dose fentanyl anaesthesia during cholecystectomy, GIESECKE, K., *et al.* 575
Hydrocephalus, congenital, pre-eclampsia and the Klippel-Feil syndrome, anaesthetic management of Caesarean section for a mother with all these, BURNS, A. M., *et al.* 350
Hydrogel suppository, morphine. *A new sustained release rectal preparation*, HANNING, C. D., *et al.* 221
Hydroxyproline, concentration determined, and lung histology examined, with intrathecal instillation of bleomycin in rats, VENINGA, T. S., *et al.* 413
Hyoid, failure to control the hyoid, a common mechanism in difficult intubation with the MacIntosh blade, HORTON, W. A., *et al.*, (*ARS*) 506P
Hyoscine+morphine, or diazepam premedication, influence on lignocaine-induced toxicity and plasma concentrations of lignocaine, HAASIO, J., *et al.* 131
Hyperbaric bupivacaine, for spinal anaesthesia: effects of concentration and volume when administered in the sitting position, ALSTON, R. P., *et al.* 144
Hyperbaric solutions, compared with plain solutions of 0.5% bupivacaine administered to seated patients, ALSTON, R. P. 385
Hyperoxia, doses of bleomycin lead to mild pulmonary abnormalities in the absence of hyperoxia in the lungs of rats, VENINGA, T. S., *et al.* 413
Hyperpyrexia, malignant, susceptibility, detection using a spin label technique on red blood cells, OHNISHI, S. T., *et al.* 565
Hypertension, pregnancy-associated, rapid sequence induction and the role of magnesium, JAMES, M. F. M., (*C*) 239
——, recent advances in therapy, HEAGERTY, A. M. 360
——, risk of myocardial ischaemia during anaesthesia in treated and untreated hypertensive patients, STONE, J. G., *et al.* 675
Hypocapnic, and normocapnic conditions to study the effects of isoflurane on intraventricular pressure in patients with intracranial disorders, GÓMEZ SAINZ, J. J., *et al.* 347
Hypotension, and positive pressure ventilation, effect on glutathione S-transferase in patients receiving halothane or isoflurane, ALDRIDGE, L. M., *et al.*, (*ARS*) 508P
——, controlled, produced by adenosine, sodium nitroprusside and nitroglycerin, and central and regional haemodynamics. *Studies in the pig*, NORLÉN, K. 186
——, induced, and plasma glucose, COOPER, A. M. C., *et al.*, (*ARS*) 114P
Hypoxia, acute isocapnic, influence on bronchial calibre and "expiratory reserve" volume in dogs, WATNEY, G. C. G., *et al.* 407
——, early postoperative, during transport, SMITH, D. C., *et al.* 625

Ilioinguinal nerve blockade, for analgesia after Caesarean section, BUNTING, P., *et al.* 773
Induced hypotension, and plasma glucose, COOPER, A. M. C., *et al.*, (*ARS*) 114P
Induction, of anaesthesia, rapid inhalation, DRUMMOND, G. B., (*E*) 373
Infants, and children, anaesthetic complications. *A prospective study of 40 240 anaesthetics*, TIRET, L., *et al.* 263
——, neonates and children, dose–response curves for suxamethonium, MEAKIN, G., *et al.*, (*ARS*) 105P
Inflamed tissues, and normal tissues, buffering capacity

following the injection of local anaesthetic solutions, PUNNIA-MOORTHY, A. 154
Infusion, adjustable, assessed by tactile evaluation of evoked thumb twitch, HARALDSTED, V. Y., *et al.* 479
Infusions, disposition of atracurium and laudanosine in patients in renal and respiratory failure in an ITU, PARKER, C. J. R., *et al.* 531
Inhalation anaesthetics, effects on filtration of venous gas emboli by the pulmonary vasculature, KATZ, J., *et al.* 200
Inhalation induction, rapid, of anaesthesia, DRUMMOND, G. B., (*E*) 373
Injected agents, a physiological model for the distribution of injected agents, with special reference to pethidine, DAVIS, N. R., *et al.*, (*ARS*) 112P
Intensive care, prolonged sedation with propofol in intensive care unit patients: recovery and blood concentration changes during periodic interruptions in infusion, BELLER, J. P., *et al.* 583
Intensive care unit, sedation of mechanically ventilated patients: comparison of isoflurane with midazolam, KONG, K. L., *et al.*, (*ARS*) 115P
Intensive therapy, disposition of infusions of atracurium and its metabolite, laudanosine, in patients in renal and respiratory failure in an ITU, PARKER, C. J. R., *et al.* 531
Intercostal block, postoperative, BAXTER, A. D., *et al.*, (*C*) 370
——, postoperative, MURPHY, D. F., (*C*) 370
Intercostal insertion, of a chest drain, a complication, BEESE, E., *et al.*, (*C*) 642
Intercostal nerve blockade, producing analgesia after appendicectomy, BUNTING, P., *et al.* 169
Intercostal nerve, proximal, anatomical variation in the position, HARDY, P. A. J. 338
Interferometer, automated, for the analysis of anaesthetic gas mixtures, SUGG, B. R., *et al.* 484
Intragastric pH, and volume, effect of omeprazole i.v., CRUICKSHANK, R. H., *et al.*, (*ARS*) 503P
Intragastric pressure, lower oesophageal sphincter pressure and barrier pressure, effects of lithotomy and supine positions in the first trimester of pregnancy, JONES, M. J., *et al.* 475
Intraperitoneal infusion, continuous, of bupivacaine has no effect on postoperative analgesia, pulmonary function and the stress response to surgery, SCOTT, N. B., *et al.* 165
Intrathecal anaesthesia, for elective Caesarean section and fetal blood flow, LINDBLAD, A., *et al.* 376
——, with 0.5% bupivacaine 3 ml: comparison of plain and hyperbaric solutions administered to seated patients, ALSTON, R. P. 385
Intrathecal bupivacaine, for spinal anaesthesia: effects of concentration and volume when administered in the sitting position, ALSTON, R. P., *et al.* 144
Intrathecal instillation, of bleomycin to obtain minimal fibrotic alterations in the lungs of rats, VENINGA, T. S., *et al.* 413
Intrathecal opioids, and local anaesthetic, potential problems of using both, MCQUAY, H. J., (*C*) 121
Intrathecal spread, of amethocaine, effect of dextrose concentration, LEE, A., *et al.* 135
Intravenous anaesthetic agents, effect on the affinity of haemoglobin for oxygen, BEECH, M. J., *et al.*, (*ARS*) 497P
Intraventricular pressure, effects of isoflurane in neurosurgical patients, GÓMEZ SAINZ, J. J., *et al.* 347
Intubation, failure to control the hyoid in difficult intubation with the MacIntosh blade, HORTON, W. A., *et al.*, (*ARS*) 506P
——, fibreoptic, learning: use of simulators *v.* traditional teaching, OVASSAPIAN, A., *et al.* 217
Irrigation solution, vascular absorption of, in percutaneous nephro–ureterolithotomy, SUGAI, K., *et al.*, (*C*) 516
Ischaemia, ischaemia-induced neuronal degeneration and failure of ketamine to protect against it, JENSEN, M. L., *et al.* 206
Ischaemic heart disease, aetiology, WOOD, D. A. 3
——, and anaesthesia: laboratory results, KETTLER, D., *et al.* 56
——, known or suspected, assessment of the patient for non-cardiac surgery, GOLDMAN, L. 38
Isocapnic hypoxia, acute, influence on bronchial calibre and "expiratory reserve" volume in dogs, WATNEY, G. C. G., *et al.* 407
Isoflurane, an appropriate alternative to analgesic nitrous oxide?, MCMENEMIN, I. M., *et al.*, (*C*) 517
——, an appropriate alternative to analgesic nitrous oxide?, GILLMAN, M. A., (*C*) 517
——, and halothane anaesthesia, changes in oxygen saturation during anaesthesia in children, SAMPAIO, M. M., *et al.*, (*ARS*) 498P
——, and halothane for general anaesthesia for dental surgery, premedicated with piroxicam, PARSLOE, M., *et al.* 702
——, compared with midazolam for sedation in ventilated patients requiring intensive therapy, plasma catecholamine concentrations, WILLATTS, S. M., *et al.*, (*ARS*) 502P
——, compared with midazolam for sedation of mechanically ventilated patients in the ITU, KONG, K. L., *et al.*, (*ARS*) 115P
——, effect on systemic oxygen uptake during cardiopulmonary bypass, ALSTON, R. P., (*ARS*) 498P
——, effects on intraventricular pressure in neurosurgical patients, GÓMEZ SAINZ, J. J., *et al.* 347
——, enflurane and halothane, influence on the potency of vecuronium in children, LYNAS, A. G. A., *et al.*, (*ARS*) 506P
——, for anaesthesia in patients in a study of plasma atracurium concentration–response relationship, PARKER, C. J. R., *et al.*, (*ARS*) 105P
——, for single breath induction of anaesthesia, MOORES, M. A., (*C*) 121
——, for single breath induction of anaesthesia, LAMBERTY, J. M., *et al.*, (*C*) 122
——, halothane and enflurane and hepatotoxicity, FOSTER, G. R., *et al.*, (*C*) 120
——, or halothane, effect of hypotension and positive pressure ventilation on glutathione S-transferase, ALDRIDGE, L. M., *et al.*, (*ARS*) 508P
——, pentobarbitone and halothane, effects of filtration ability of pulmonary circulation, KATZ, J., *et al.* 200

Ketamine, fails to protect against ischaemic neuronal necrosis in the rat, JENSEN, M. L., *et al.* 206
——, methohexitone, Althesin and droperidol, effects on peripheral vagal transmission, INOUE, K., *et al.* 456
Kinetic modelling, does the method influence the result?, SEAR, J. W., (*ARS*) 509P
Klippel-Feil syndrome, pre-eclampsia and congenital hydrocephalus, anaesthetic management of Caesarean section for a mother with all these, BURNS, A. M., *et al.* 350

Laboratory results, with anaesthesia and ischaemic heart disease, KETTLER, D., *et al.* 56
Labour, comparison of plasma bupivacaine concentrations during continuous extradural infusion for, FLYNN, R. J., *et al.* 382
Laryngoscopy, difficult, failure to control the hyoid in difficult intubation with the MacIntosh blade, HORTON, W. A., *et al.*, (*ARS*) 506P
——, position of MacIntosh blade during, HORTON, W. A., *et al.*, (*ARS*) 109P

Laudanosine, and atracurium, disposition of infusions in patients in renal and respiratory failure in an ITU, PARKER, C. J. R., *et al.* 531
Lecture Notes on Anaesthetics 3rd Edn, LUNN, J. N., (*R*) 520
Lignocaine, induced toxicity and plasma concentrations of lignocaine, influence of premedication, HAASIO, J., *et al.* 131
——, or bupivacaine extradural anaesthesia for elective Caesarean section: the role of maternal posture, REID, J. A., *et al.* 149
——, plasma concentrations, effect of H_2-receptor antagonists in the obstetric patient, FLYNN, R. J., *et al.*, (*ARS*) 512P
Linear pharmacokinetics, of droperidol in surgical patients under different conditions of anaesthesia, LEHMANN, K. A., *et al.* 297
Lithotomy position, compared with supine position, effects on intragastric pressure, lower oesophageal sphincter pressure and barrier pressure in the first trimester of pregnancy, JONES, M. J., *et al.* 475
Local anaesthetic, age-related differential sensitivity to, using an *in vitro* mammalian nerve preparation, BENZON, H. T., *et al.* 754
——, and opioids, potential problems of using both, MCQUAY, H. J., (*C*) 121
Local anaesthetic toxicity, induced by lignocaine, and plasma concentrations of lignocaine, influence of premedication, HAASIO, J., *et al.* 131
Local anaesthetics, cause an increase in buffering capacity in inflamed tissue, PUNNIA-MOORTHY, A. 154
——, percutaneous, concentration–response analysis, WOOLFSON, A. D., *et al.* 589
Local analgesic techniques, for upper abdominal surgery—endocrine and metabolic effects, HALL, G. M., *et al.*, (*E*) 649
Lorazepam, as premedication with alfentanil in cardiac surgical patients, HUG, C. C. JR, *et al.* 435
Low fresh gas flows, predicted and measured oxygen concentrations in the circle system with oxygen supplied by an oxygen concentrator, PARKER, C. J. R., *et al.* 397
Lower oesophageal sphincter, in the first trimester of pregnancy: comparison of supine with lithotomy positions, JONES, M. J., *et al.* 475
Lung histology, examined and lung hydroxyproline concentration determined with intrathecal instillation of bleomycin in rats, VENINGA, T. S., *et al.* 413
Lung model, for measuring tidal volume during high frequency jet ventilation, YOUNG, J. D., *et al.* 601
Lung transplantation, isolated: a review of problems and guide to anaesthesia, CONACHER, I. D. 468

MacIntosh blade, failure to control the hyoid, a common mechanism in difficult intubation with the MacIntosh blade, HORTON, W. A., *et al.*, (*ARS*) 506P
——, position of tip during laryngoscopy, HORTON, W. A., *et al.*, (*ARS*) 109P
Magnesium, the role in rapid sequence induction in pregnancy-associated hypertension, JAMES, M. F. M., (*C*) 239
Malignant hyperpyrexia, susceptibility, detection using a spin label technique on red blood cells, OHNISHI, S. T., *et al.* 565
Malignant hyperthermia-susceptible patients, atracurium or vecuronium?, HUNTER, J. M., (*C*) 513
——, atracurium or vecuronium?, ALLEN, G., (*C*) 513
Mammalian nerve preparation, *in vitro*, developmental neurophysiology and age-related differential sensitivity to local anaesthetic, BENZON, H. T., *et al.* 754
Manley 2, 3, and 4 ventilators, differences between input and output, BOLISTON, T. A., *et al.*, (*ARS*) 510P
Maternal awareness, and fetal well-being, SELWYN CRAWFORD, J., (*E*) 247
Maternal inspired oxygen concentration, and neonatal status for Caesarean section under general anaesthesia. *Comparison of effects of 33% or 50% oxygen in nitrous oxide*, LAWES, E. G., *et al.* 250
Maternal mortality, anaesthetic contribution, WILLIAMSON, R., (*C*) 518
Maternal–fetal distribution, of bupivacaine in the rabbit, CARSON, R. J., *et al.* 332
Mechanically ventilated patients, sedation, comparison of isoflurane with midazolam in the ITU, KONG, K. L., *et al.*, (*ARS*) 115P
Metabolic effects, and endocrine effects of local analgesic techniques for upper abdominal surgery, HALL, G. M., *et al.*, (*E*) 649
Metabolic responses, and hormonal responses to high- and low-dose fentanyl anaesthesia during cholecystectomy, GIESECKE, K., *et al.* 575
Metabolites, drug, in anaesthetic practice—are they important?, SEAR, J. W., (*E*) 525
Methohexitone, Althesin, ketamine and droperidol, effects on peripheral vagal transmission, INOUE, K., *et al.* 456
——, or propofol for anaesthesia for ECT, comparison of duration of seizure, SIMPSON, K. H., *et al.* 343
Metronidazole, and etomidate, effect on platelet aggregation, SCHOU OLESEN, A., *et al.*, (*C*) 514
Mice, anticonvulsive properties of pregnanolone emulsion compared with Althesin and thiopentone, HØGSKILDE, S., *et al.* 462
Microprocessor-controlled interferometer, for the analysis of anaesthetic gas mixtures, SUGG, B. R., *et al.* 484
Midazolam, a pharmacokinetic study in paediatric patients undergoing cardiac surgery, MATHEWS, H. M. L., *et al.* 302
——, anaesthesia, tolerance: lack of effects of nitrendipine and, DOLIN, S. J., *et al.*, (*ARS*) 508P
——, compared with chloral hydrate as oral premedicants in children undergoing otolaryngological surgery, SAARNIVAARA, L., *et al.* 390
——, compared with isoflurane for sedation in ventilated patients requiring intensive therapy, plasma catecholamine concentrations assessed, WILLATTS, S. M., *et al.*, (*ARS*) 502P
——, compared with isoflurane for sedation of mechanically ventilated patients in the ITU, KONG, K. L., *et al.*, (*ARS*) 115P
——, compared with temazepam and placebo for oral premedication in minor day-case surgery, HARGREAVES, J. 611
——, or diazepam with pethidine? Sedation for endoscopy, BOLDY, D. A. R., *et al.* 698
Mivacurium chloride, (BW B1090U) clinical pharmacology of an infusion: a comparison with vecuronium, atracurium and suxamethonium, ALI, H. H., *et al.* 541
Model, experimental, of myocardial ischaemia, FOËX, P. 44
——, for different modes of forced oscillation in the respiratory system during high frequency jet ventilation, LIN, E. S., *et al.*, (*ARS*) 111P
——, physiological, for the distribution of injected agents, with special reference to pethidine, DAVIS, N. R., *et al.*, (*ARS*) 112P
Monitoring, using post-tetanic count to monitor recovery from intense neuromuscular blockade in children, GWINNUTT, C. L., *et al.* 547
Mood, and cognitive functions in anaesthetists working in actively scavenged operating theatres, STOLLERY, B. T., *et al.* 446
Morphine, and alfentanil effects on cardiovascular stability

in the presence of a computerized closed loop arterial pressure controller, McMenemin, I. M., *et al.* 669
Morphine, controlled release tablets, (MST Continus), relative bioavailability in cancer patients, Poulain, P., *et al.* 569
——, hydrogel suppository. *A new sustained release rectal preparation*, Hanning, C. D., *et al.* 221
——, induced respiratory depression, antagonized with nalmefene, Konieczko, K. M., *et al.* 318
——, nebulized, absorption and bioavailability, Chrubasik, J., *et al.* 228
——, or diamorphine, i.v., comparison of rate of onset of respiratory depression, Annan, F. J., *et al.*, (*ARS*) 112P
Morphine + hyoscine, or diazepam premedication, influence on lignocaine-induced toxicity and plasma concentrations of lignocaine, Haasio, J., *et al.* 131
Mouth opening, assessed in patients premedicated with piroxicam for dental surgery under general anaesthesia, Parsloe, M., *et al.* 702
Mouth opening difficulty, in anaesthetized non-paralysed patients, Hindocha, N., *et al.*, (*ARS*) 511P
Movement of sternum, on induction of anaesthesia, Logan, M. R., *et al.*, (*ARS*) 109P
MST Continus, controlled release morphine tablets, relative bioavailablity in cancer patients, Poulain, P., *et al.* 569
Muscle relaxants, do we need more?, Scott, R. P. F., *et al.*, (*E*) 528
Muscle Relaxants in Clinical Anaesthesia, Bevan, D. R., *et al.*, (*R*) 785
Myalgia, and suxamethonium, Mather, J. S., *et al.*, (*C*) 238
——, and suxamethonium, O'Sullivan, E. P., *et al.*, (*C*) 238
Myocardial function, effect of verapamil in the presence of fentanyl, Diedericks, J., *et al.*, (*ARS*) 107P
Myocardial infarction, acute, use of drugs during the very early phase, a review, Barnett, D. B. 11
——, anaesthetic considerations, Prys-Roberts, C. 85
——, perioperative, Haagensen, R., *et al.* 24
Myocardial ischaemia, and anaesthesia, Smith, G., (*E*) 1
——, associated with general anaesthesia. *A Review of Clinical Studies*, Reiz, S. 68
——, experimental models, Foëx, P. 44
——, progress in drug therapy, Barnett, D. B. 11
——, risk during anaesthesia in treated and untreated hypertensive patients, Stone, J. G., *et al.* 675
Myoneural blockers, and suxamethonium, Eisenkraft, J. B., *et al.*, (*C*) 642
——, and suxamethonium, O'Sullivan, E. P., *et al.*, (*C*) 642

Nadolol, effects on arrhythmias during laparoscopy performed under general anaesthesia, Burns, J. M. A., *et al.* 345
Nalbuphine, oral, compared with oral dihydrocodeine for the treatment of pain after dental extractions, Kay, B., *et al.* 313
Nalmefene, to antagonize morphine-induced respiratory depression, Konieczko, K. M., *et al.* 318
Naloxone, use in opioid-induced anaphylactoid reaction, Panos, M. Z., *et al.*, (*C*) 371
Nasotracheal intubation, fibreoptic, learning: use of simulators *v.* traditional teaching, Ovassapian, A., *et al.* 217
——, incidence of sinusitis in patients with, Mansen, M., *et al.* 231
Nausea, postoperative, influence of neostigmine, King, M. J., *et al.* 403
Nebulizers, absorption and bioavailability of nebulized morphine, Chrubasik, J., *et al.* 228
Necrosis, neuronal ischaemic, failure of ketamine to protect against it, in the rat, Jensen, M. L., *et al.* 206
Neonatal status, and maternal inspired oxygen concentration for Caesarean section under general anaesthesia, Lawes, E. G., *et al.* 250
Neonates, infants and children, dose–response curves for suxamethonium, Meakin, G., *et al.*, (*ARS*) 105P
Neostigmine, administered before and after atracurium or vecuronium during anaesthesia for laparoscopy, Bailey, D. M., *et al.* 557
——, influence on postoperative vomiting, King, M. J., *et al.* 403
——, interaction, and effects of suxamethonium on the recovery of block produced by atracurium, Scott, R. P. F., *et al.* 292
——, low doses, with atracurium or vecuronium, antagonism of blockade produced, Jones, J. E., *et al.* 560
Nerve blockade, differential, effects of drug type and stimulation frequency, Wildsmith, J. A. W., *et al.*, (*ARS*) 503P
Nerve conduction, effect of fentanyl, Power, L., *et al.*, (*ARS*) 507P
Neuroleptanalgesia, or volatile anaesthetics used in association with droperidol to study linear pharmacokinetics, Lehmann, K. A., *et al.* 297
Neuromuscular block, by atracurium, effect of suxamethonium given during recovery from atracurium, Scott, R. P. F., *et al.* 292
——, by atracurium, self-tuning, microprocessor-based closed-loop control, Uys, P. C., *et al.* 685
——, comparison in the diaphragm and adductor pollicis, Derrington, M. C., *et al.* 279
——, duration to compare duration of action of pipecuronium and pancuronium, Caldwell, J. E., *et al.* 693
——, intense, recovery monitored by the use of the post-tetanic count in children, Gwinnutt, C. L., *et al.* 547
——, intense, with atracurium, use of the post-tetanic train-of-four for evaluation, Salathé, M., *et al.*, (*C*) 123
——, intense with vecuronium and post-tetanic count in children, Ridley, S. A., *et al.* 551
——, onset with alcuronium and tubocurarine, alone and combined, Roberts, S. P., *et al.*, (*ARS*) 106P
——, potency of atracurium and vecuronium at the diaphragm and the adductor pollicis muscle, Laycock, J. R. D., *et al.* 286
——, prolonged, comparison of large doses of vecuronium and pancuronium, Rørvik, K., *et al.* 180
——, prolonged, induced by suxamethonium associated with organophosphate poisoning, Pérez Guillermo, F., *et al.* 233
Neuromuscular blocking agent, new, non-depolarizing long-acting doxacurium, a preliminary clinical trial, Scott, R. P. F., *et al.*, (*ARS*) 505P
——, non-depolarizing, doxacurium (BWA 938), preliminary experiences, Emmott, R. S., *et al.*, (*ARS*) 504P
Neuromuscular junction, differing interactions with hexamethonium, tubocurarine and pancuronium at the, Pollard, B. J., *et al.* 419
Neuronal necrosis, ischaemic, failure of ketamine to protect against it, in the rat, Jensen, M. L., *et al.* 206
Neurophysiology, developmental, of mammalian peripheral nerves and age-related differential sensitivity to local anaesthetic, Benzon, H. T., *et al.* 754
Neurosurgical patients, effects of isoflurane on intraventricular pressure, Gómez Sainz, J. J., *et al.* 347
Neurotoxicity, of anaesthetic agents on anaesthetists working in scavenged operating theatres, Stollery, B. T., *et al.* 446
Nitrendipine, and PK11195, lack of effects on tolerance to midazolam anaesthesia, Dolin, S. J., *et al.*, (*ARS*) 508P
Nitroglycerin, adenosine and sodium nitroprusside, to

produce controlled hypotension, effect on central and regional haemodynamics. *Studies in the pig*, NORLÉN, K. 186
Nitrous oxide, 50%, resulting in arterial oxygen desaturation, REED, P. N., *et al.*, (*ARS*) 115P
——, analgesic, is isoflurane an appropriate alternative?, GILLMAN, M. A., (*C*) 517
——, analgesic, is isoflurane an appropriate alternative?, MCMENEMIN, I. M., *et al.*, (*C*) 517
——, effects on auditory cortical evoked potentials and subjective thresholds, HOUSTON, H. G., *et al.* 606
——, for balanced anaesthesia, effects of sufentanil during cardiac surgery, WINDSOR, J. P. W., *et al.* 662
Nitrous oxide anaesthesia, supplemented by alfentanil, pharmacodynamics in the elderly patient, LEMMENS, H. J. M., *et al.* 173
Nitrous oxide–enflurane–sufentanil anaesthesia, in patients for coronary artery bypass graft, APPLETON, D. F. J., *et al.*, (*ARS*) 501P
NMDA antagonist, ketamine, fails to protect against ischaemic neuronal necrosis in the rat, JENSEN, M. L., *et al.* 206
Non-cardiac surgery, assessment of the patient with known or suspected ischaemic heart disease for, GOLDMAN, L. 38
Non-depolarizing neuromuscular blocking agent, doxacurium (BWA 938), preliminary experiences, EMMOTT, R. S., *et al.*, (*ARS*) 504P
Normothermia, actively maintained, intraoperative effect on postoperative body temperature, oxygen consumption and carbon dioxide production in elderly patients, CARLI, F., (*ARS*) 511P

Obstetric anaesthesia, for Caesarean section for a mother with pre-eclampsia, the Klippel-Feil syndrome and congenital hydrocephalus, BURNS, A. M., *et al.* 350
——, maternal inspired oxygen concentration and neonatal status during Caesarean section under general anaesthesia, LAWES, E. G., *et al.* 250
——, routine use of atropine, VIBY-MOGENSEN, J., (*C*) 119
——, routine use of atropine, MAY, A. E., *et al.*, (*C*) 119
Obstetric patient, effect of H_2-receptor antagonists on plasma lignocaine concentrations in the obstetric patient, FLYNN, R. J., *et al.*, (*ARS*) 512P
Obstetrics, increased ventilation requirements during obstetric general anaesthesia, RAMPTON, A. J., *et al.* 730
——, unilateral extradural blockade, GRIFFIN, R. M., (*C*) 365
——, unilateral extradural blockade, LINTER, S. P. K., (*C*) 365
——, unilateral extradural blockade, ZBINDEN, S., (*C*) 365
——, use of ranitidine, by mouth and i.m. for the prophylaxis of aspiration pneumonitis, COLMAN, R. D., *et al.* 720
Occupational exposure, to waste anaesthetic gases, use of scavenging facilities, STONE, P. A., *et al.*, (*ARS*) 111P
Occupational health, of anaesthetists working in actively scavenged operating theatres, STOLLERY, B. T., *et al.* 446
Omeprazole, i.v., effect on intragastric pH and volume, CRUICKSHANK, R. H., *et al.*, (*ARS*) 503P
Opioid antagonists, nalmefene and naloxone to antagonize morphine-induced respiratory depression, KONIECZKO, K. M., *et al.* 318
Opioid–atropine premedication, preoperative fluids and ranitidine, MALTBY, J. R., *et al.*, (*ARS*) 113P
Opioids, and local anaesthetic, potential problems of using both, MCQUAY, H. J., (*C*) 121
Oral administration, of codeine and changes in pupil diameter, PEACOCK, J. E., *et al.* 598
Oral dihydrocodeine, compared with oral nalbuphine for the treatment of pain after dental extractions, KAY, B., *et al.* 313
Oral nalbuphine, compared with oral dihydrocodeinie for the treatment of pain after dental extractions, KAY, B., *et al.* 313
Oral premedicants, chloral hydrate and midazolam compared as oral premedicants in children undergoing otolaryngological surgery, SAARNIVAARA, L., *et al.* 390
Oral premedication, in minor day-case surgery: comparison of oral midazolam and temazepam with placebo, HARGREAVES, J. 611
Organophosphate poisoning, associated with prolonged suxamethonium-induced neuromuscular blockade, PÉREZ GUILLERMO, F., *et al.* 233
Otoloryngological surgery, comparison of chloral hydrate and midazolam by mouth as premedicants in children, SAARNIVAARA, L., *et al.* 390
Outpatient dental extractions, in children, changes in oxygen saturation during inhalation anaesthesia, SAMPAIO, M. M., *et al.*, (*ARS*) 498P
Oxygen concentration, maternal inspired, and neonatal status for Caesarean section under general anaesthesia, LAWES, E. G., *et al.* 250
Oxygen concentrator, to supply oxygen in the circle system using low fresh gas flows, PARKER, C. J. R., *et al.* 397
Oxygen in nitrous oxide, comparison of the effects of 33% or 50% on neonatal status during Caesarean section under general anaesthesia, LAWES, E. G., *et al.* 250
Oxygen saturation, changes during inhalation anaesthesia in children, SAMPAIO, M. M., *et al.*, (*ARS*) 498P
——, predicting changes using pulse oximetry, SAPSFORD, D. J., *et al.*, (*ARS*) 497
Oxygen therapy, during electroconvulsive therapy, RÄSÄNEN, J., *et al.* 593
Oxyhaemoglobin saturation, (Sa_{O_2}) changes with extradural blockade and immersion in water, VEGFORS, M., *et al.* 771

P50, haemoglobin saturation of 50%, *in vitro*, effects of i.v. anaesthetic agents on the P50 of whole blood, BEECH, M. J., *et al.*, (*ARS*) 497P
Paediatric patients, a pharmacokinetic study of midazolam in patients undergoing cardiac surgery, MATHEWS, H. M. L., *et al.* 302
Pain, assessed in patients premedicated with piroxicam for dental surgery under general anaesthesia, PARSLOE, M., *et al.* 702
Palatability, and anxiolytic effects of chloral hydrate compared with midazolam for oral premedication in children, SAARNIVAARA, L., *et al.* 390
Pancuronium, and pipecuronium: comparison of pharmacokinetics and duration of action, CALDWELL, J. E., *et al.* 693
——, and vecuronium, comparison of large dose for prolonged neuromuscular blockade, RØRVIK, K., *et al.* 180
——, differing interactions with hexamethonium, tubocurarine and alcuronium at the neuromuscular junction, POLLARD, B. J., *et al.* 419
——, or other myoneural blockers, use of post-tetanic count to monitor recovery, GWINNUTT, C. L., *et al.* 547
——, tubocurarine and alcuronium, action on diaphragm and hand, DERRINGTON, M. C., *et al.*, (*ARS*) 106P
Pancuronium bromide, and pipecuronium bromide, comparison of potency, STANLEY, J. C., *et al.*, (*ARS*) 505P
Papaveretum, i.m., compared with intercostal nerve blockade as analgesia after appendicectomy, BUNTING, P., *et al.* 169
Paravertebral block, effect on the perioperative stress response to anaesthesia and surgery, GIESECKE, K., *et al.* 652
Parental Nutrition—Clinical Nutrition, Volume 11, 1st Edn, ROMBEAU, J. L., *et al.*, (editors), (*R*) 645

Parkinsonism, and the anaesthetist, a review, SEVERN, A. M. 761
Patient characteristics, and solution, influence on the development of blockade produced by extradural bupivacaine, DUGGAN, J., *et al.* 324
Patient-controlled analgesia, effect on plasma catecholamine, cortisol and glucose concentrations after cholecystectomy, MØLLER, I. W., *et al.* 160
Patient-controlled analgesia system, (PRODAC), used to assess the efficacy of the TENS for acute postoperative pain, MCCALLUM, M. I. D., *et al.* 308
PEEP, effect with high frequency jet ventilation in rabbit respiratory distress syndrome, WATERS, J. H., *et al.*, (*ARS*) 500P
Pentobarbitone, anaesthetized dogs, cardiac interactions of propranolol and verapamil with halothane, HART, A. P., *et al.* 748
——, halothane and isoflurane, effects on filtration ability of the pulmonary circulation, KATZ, J., *et al.* 200
Percutaneous local anaesthetics, concentration–response analysis, WOOLFSON, A. D., *et al.* 589
Percutaneous nephro–ureterolithotomy, vascular absorption of irrigation solution, SUGAI, K., *et al.*, (*C*) 516
Perioperative myocardial infarction, HAAGENSEN, R., *et al.* 24
Perioperative stress response, effect of paravertebral block, GIESECKE, K., *et al.* 652
Perioperative studies, prolonged, computerized analysis of continuous pulse oximetry, WHEATLEY, R. G., *et al.*, (*ARS*) 110P
Peripheral vagal transmission, effects of methohexitone, Althesin, ketamine and droperidol, INOUE, K., *et al.* 456
Pethidine, a physiological model for the distribution of injected agents, with special reference to pethidine, DAVIS, N. R., *et al.*, (*ARS*) 112P
——, midazolam or diazepam with pethidine? Sedation for endoscopy, BOLDY, D. A. R., *et al.* 698
Pharmacodynamics, of alfentanil as a supplement to nitrous oxide anaesthesia in the elderly patient, LEMMENS, H. J. M., *et al.* 173
——, of alfentanil during breast surgery, effects of age, LEMMENS, H. J. M., *et al.*, (*ARS*) 111P
Pharmacokinetic study, of midazolam in paediatric patients undergoing cardiac surgery, MATHEWS, H. M. L., *et al.* 302
Pharmacokinetics, and duration of action of pipecuronium and pancuronium, CALDWELL, J. E., *et al.* 693
——, of infusions of atracurium and laudanosine in patients in renal and respiratory failure in an ITU, PARKER, C. J. R., *et al.* 531
Pharmacology, clinical, of mivacurium chloride (BW B1090U) infusion: a comparison with vecuronium, atracurium and suxamethonium, ALI, H. H., *et al.* 541
Pig, studies of central and regional haemodynamics during controlled hypotension produced by adenosine sodium nitroprusside and nitroglycerin, NORLÉN, K. 186
Pipecuronium, and pancuronium: comparison of pharmacokinetics and duration of action, CALDWELL, J. E., *et al.* 693
Pipecuronium bromide, and pancuronium bromide, comparison of potency, STANLEY, J. C., *et al.*, (*ARS*) 505P
Piroxicam, for premedication in patients having dental surgery under general anaesthesia, PARSLOE, M., *et al.* 702
PK11195, and nitrendipine, lack of effects on tolerance to midazolam anaesthesia, DOLIN, S. J., *et al.*, (*ARS*) 508P
Placental transfer, of bupivacaine in the rabbit, CARSON, K. J., *et al.* 332
Plain solutions, compared with hyperbaric solutions of 0.5% bupivacaine administered to seated patients, ALSTON, R. P. 385
Plasma cholinesterase, correlated with infusion rate of mivacurium required to maintain 95% twitch depression, ALI, H. H., *et al.* 541
Plasma glucose, during induced hypotension, COOPER, A. M. C., *et al.*, (*ARS*) 114P
Platelet aggregation, effect of etomidate and metronidazole, SCHOU OLESEN, A., *et al.*, (*C*) 514
Plethysmography, digital, during general anaesthesia: comparison of two techniques, HOWE, J. P., *et al.*, (*ARS*) 118P
Positive pressure ventilation, and hypotension, effect on glutathione S-transferase in patients receiving halothane or isoflurane, ALDRIDGE, L. M., *et al.*, (*ARS*) 508P
Postanaesthetic recovery, transfer from recovery room to ward, SALEM, M., (*C*) 241
Postoperative analgesia, pulmonary function and the stress response to surgery, continuous i.p. infusion of bupivacaine has no effect on these, SCOTT, N. B., *et al.* 165
——, the morphine hydrogel suppository. *A new sustained release rectal preparation*, HANNING, C. D., *et al.* 221
Postoperative body temperature, effect of actively maintained intraoperative normothermia in elderly patients, CARLI, F., (*ARS*) 511P
Postoperative complications, influence of neostigmine on postoperative vomiting, KING, M. J., *et al.* 403
Postoperative emesis, influence of intraoperative acupuncture and droperidol, DUNDEE, J. W., *et al.*, (*ARS*) 116P
Postoperative hypoxia, early, during transport, SMITH, D. C., *et al.* 625
Postoperative intercostal block, MURPHY, D. F., (*C*) 370
——, BAXTER, A. D., *et al.*, (*C*) 370
Postoperative pain, acute, managed by transcutaneous electrical nerve stimulation (TENS), MCCALLUM, M. I. D., *et al.* 308
Postoperative Pain Control, ALEXANDER, J. I., *et al.*, (*R*) 244
Postoperative pain relief, influence with PCA on postoperative changes in plasma catecholamine, cortisol and glucose concentrations, MØLLER, I. W., *et al.* 160
Postoperative paravertebral blocks, for thoracic surgery, PURCELL-JONES, G., *et al.*, (*C*) 369
——, for thoracic surgery, CONACHER, I. D., (*C*) 369
Postoperative serum protein S concentration, to detect hepatotoxicity after general anaesthesia, FOSTER, G. R., *et al.*, (*C*) 120
Post-tetanic count, and intense neuromuscular blockade with vecuronium in children, RIDLEY, S. A., *et al.* 551
——, use to monitor recovery from intense neuromuscular blockade in children, GWINNUTT, C. L., *et al.* 547
Post-tetanic train-of-four, use for evaluation of intense neuromuscular blockade with atracurium, SALATHÉ, M., *et al.*, (*C*) 123
Posture, and baricity, effects on spinal anaesthesia with 0.5% bupivacaine 5 ml. *A double-blind study*, MITCHELL, R. W. D., *et al.* 139
——, maternal, the role when using extradural anaesthesia bupivacaine or lignocaine anaesthesia for elective Caesarean section, REID, J. A., *et al.* 149
Preanaesthetic Assessment 1, FROST, E. A. M., (editor), (*R*) 785
Pre-eclampsia, the Klippel-Feil syndrome and hydrocephalus (congenital), anaesthetic management of Caesarean section for a mother with all these, BURNS, A. M., *et al.* 350
Pregnancy, rapid sequence induction in hypertension associated with, role of magnesium, JAMES, M. F. M., (*C*) 239

Pregnanolone emulsion, anticonvulsive properties compared with Althesin and thiopentone in mice, HØGSKILDE, S., *et al.* 462
Premedicants, oral, chloral hydrate and midazolam compared as oral premedicants in children undergoing otolaryngological surgery, SAARNIVAARA, L., *et al.* 390
Premedication, influence on lignocaine-induced toxicity and plasma concentrations of lignocaine, HAASIO, J., *et al.* 131
——, lorazepam, use with alfentanil in cardiac surgical patients, HUG, C. C. JR, *et al.* 435
——, with opioid–atropine, preoperative fluids and ranitidine, MALTBY, J. R., *et al.*, (*ARS*) 113P
——, with piroxicam in patients having dental surgery under general anaesthesia with halothane or isoflurane, PARSLOE, M., *et al.* 702
Preoperative assessment, of the patient with known or suspected ischaemic heart disease for non-cardiac surgery, GOLDMAN, L. 38
Preoperative fluids, ranitidine and opioid–atropine premedication, MALTBY, J. R., *et al.*, (*ARS*) 113P
Prick test, to diagnose anaphylaxis, LEYNADIER, F., (*C*) 365
Primary Surgery, Volume 2: Trauma, KING, M., (editor), (*R*) 519
Problems and Advances in Respiratory Therapy. International Anesthesiology Clinics, RACZ, G., (*R*) 125
Prophylactic extradural blood patch, is effective. *A Preliminary Communication*, CHEEK, T. G., *et al.* 340
Propofol, and alfentanil for total i.v. anaesthesia: dose requirements for propofol, RICHARDS, M. J., *et al.*, (*ARS*) 510P
——, and alfentanil for total i.v. anaesthesia: influence of vagolytic agents on haemodynamics and recovery, SKUES, M. A., *et al.*, (*ARS*) 501P
——, and prolonged sedation in ICU patients: recovery and blood concentration changes during periodic interruptions in infusion, BELLER, J. P., *et al.* 583
——, compared with thiamylal for induction and maintenance of anaesthesia for outpatient surgery, SAMPSON, I. H., *et al.* 706
——, decreases systemic vascular resistance during cardiopulmonary bypass, BOER, F., *et al.*, (*ARS*) 108P
——, haemodynamic and heart rate reflex responses in the rabbit. *Comparison with Althesin*, BLAKE, D. W., *et al.* 194
——, reduces seizure duration in patients having anaesthesia for electroconvulsive therapy, SIMPSON, K. H., *et al.* 343
——, suxamethonium sequence and resulting severe bradycardia, BARAKA, A. 482
Propofol-induced anaesthesia, effect on forearm blood flow in healthy patients, MCKEATING, K., *et al.*, (*ARS*) 108P
Propranolol, and verapamil, effects on cardiac conduction and refractoriness in dogs anaesthetized with pentobarbitone and halothane, HART, A. P., *et al.* 748
Proximal intercostal nerve, anatomical variation in the position, HARDY, P. A. J. 338
Pulmonary abnormalities, subsequent to doses of bleomycin in the absence of hyperoxia in the lungs of rats, VENINGA, T. S., *et al.* 413
Pulmonary function, postoperative analgesia and the stress response to surgery, continuous i.p. infusion of bupivacaine has no effect on these, SCOTT, N. B., *et al.* 165
Pulmonary heart disease, in children with airway obstruction resulting from adenotonsillar hypertrophy, YATES, D. W. 355
Pulmonary kinetics, of fentanyl and alfentanil in surgical patients, TAEGER, K., *et al.* 425
Pulse oximetry, continuous, computerized analysis for prolonged perioperative studies, WHEATLEY, R. G., *et al.*, (*ARS*) 110P
Pulse oximetry, during extradural analgesia for extracorporeal shock wave lithotripsy, VEGFORS, M., *et al.* 771
——, for predicting changes in oxygen saturation, SAPSFORD, D. J., *et al.*, (*ARS*) 497
——, used to study early postoperative hypoxia during transport, SMITH, D. C., *et al.* 625
Pupil diameter changes, after oral administration of codeine, PEACOCK, J. E., *et al.* 598

Rabbit, effect of PEEP with high frequency jet ventilation in respiratory distress syndrome, WATERS, J. H., *et al.*, (*ARS*) 500P
——, haemodynamic and heart rate reflex responses to propofol in the rabbit. *Comparison with Althesin*, BLAKE, D. W., *et al.* 194
——, maternal–fetal distribution of bupivacaine, CARSON, R. J., *et al.* 332
Rabbit model, of respiratory distress syndrome (RDS), optimum constant airway pressure (CAP) measured, RATCLIFFE, F. M., *et al.*, (*ARS*) 499P
Radiology for Anesthesia and Critical Care, MURPHY, C. H., *et al.*, (editors), (*R*) 125
Ranitidine, by mouth and i.m., use for the prophylaxis of aspiration pneumonitis in obstetrics, COLMAN, R. D., *et al.* 720
——, or cimetidine, effect on plasma lignocaine concentrations in the obstetric patient, FLYNN, R. J., *et al.*, (*ARS*) 512P
——, preoperative fluids and opioid–atropine premedication, MALTBY, J. R., *et al.*, (*ARS*) 113P
Rapid inhalation induction, of anaesthesia, DRUMMOND, G. B., (*E*) 373
Rate of onset, of respiratory depression, comparison after i.v. morphine or diamorphine, ANNAN, F. J., *et al.*, (*ARS*) 112P
Recovery, and haemodynamics, influence of vagolytic agents during total i.v. anaesthesia with propofol and alfentanil, SKUES, M. A., *et al.*, (*ARS*) 501P
Recovery Room Care 2nd Edn, ISRAEL, J. S., *et al.*, (editor), (*R*) 244
Rectal preparation, sustained release, the morphine hydrogel suppository, HANNING, C. D., *et al.* 221
Red blood cells, spin labelled in a technique to detect malignant hyperpyrexia susceptibility, OHNISHI, S. T., *et al.* 565
Regional Anaesthesia, ZENZ, M., *et al.*, (*R*) 784
Regional haemodynamics, and central, during controlled hypotension produced by adenosine, sodium nitroprusside and nitroglycerin. *Studies in the pig*, NORLÉN, K. 186
Resin injection, of thoracic paravertebral spaces, CONACHER, I. D. 657
Respiration, a method for measuring tidal volume during high frequency jet ventilation, YOUNG, J. D., *et al.* 601
Respiratory acidosis, effect on plasma catecholamines, LOW, J. M., *et al.*, (*ARS*) 502P
Respiratory depression, comparison of rate of onset after i.v. morphine or diamorphine, ANNAN, F. J., *et al.*, (*ARS*) 112P
——, induced by morphine antagonized by nalmefene, KONIECZKO, K. M., *et al.* 318
Respiratory distress syndrome, effect of PEEP with high frequency jet ventilation in the rabbit, WATERS, J. H., *et al.*, (*ARS*) 500P
——, (RDS), optimum constant airway pressure (CAP), measured in a rabbit model of RDS, RATCLIFFE, F. M., *et al.*, (*ARS*) 499P
Respiratory Emergencies, SAWICKA, E. J., *et al.*, (*R*) 646
Respiratory function, after major hip surgery, GANTA, R., *et al.*, (*ARS*) 116P
Rise time, of carbon dioxide analysers, influence on the

accuracy of carbon dioxide measurements, BRUNNER, J. X., *et al.* 628
Rotational correlation time, decreased in red blood cells from malignant hyperthermia susceptible individuals, OHNISHI, S. T., *et al.* 565

Scavenged theatres, mood and cognitive functions in anaesthetists working in actively scavenged theatres, STOLLERY, B. T., *et al.* 446
Scavenging facilities, use of, and occupational exposure to waste anaesthetic gases, STONE, P. A., *et al.*, (*ARS*) 111P
Sedation, prolonged, with propofol in ICU patients: recovery and blood concentration changes during periodic interruptions in infusion, BELLER, J. P., *et al.* 583
Seizure duration, reduced by propofol in patients having anaesthesia for electroconvulsive therapy, SIMPSON, K. H., *et al.* 343
Shock and the Adult Respiratory Distress Syndrome, KOX, W., *et al.*, (*R*) 244
Single breath induction, of anaesthesia with isoflurane, LAMBERTY, J. M., *et al.*, (*C*) 122
——, of anaesthesia with isoflurane, MOORES, M. A., (*C*) 121
Sinusitis, incidence in patients with nasotracheal intubation, MANSEN, M., *et al.* 231
Sitting position, for administration of hyperbaric bupivacaine for spinal anaesthesia; effects of volume and concentration, ALSTON, R. P., *et al.* 144
——, for patients administered 0.5% bupivacaine 3 ml, for spinal anaesthesia: comparison of plain and hyperbaric solutions, ALSTON, R. P. 385
Skin temperatures, regional, associated with total sympathetic blockade in conscious dogs, PETERS, J., *et al.* 617
Smoking, related to coronary heart disease, WOOD, D. A. 3
Sodium nitroprusside, adenosine and nitroglycerin to produce controlled hypotension, effect on central and regional haemodynamics. *Studies in the pig*, NORLÉN, K. 186
——, and glyceryl trinitrate for automatic control of arterial pressure after cardiac surgery, COLVIN, J. R., *et al.*, (*ARS*) 117P
Solution, and patient characteristics, influence on the development of extradural block produced by bupivacaine, DUGGAN, J., *et al.* 324
Somatosympathetic reflexes, group III and IV, selective depression in the dog, SWENZEN, G. O., *et al.* 441
Speaking adaptor, for a tracheostomy tube, WEE, M., (*C*) 516
Spin label, technique on red blood cells to detect malignant hyperthermia susceptibility, OHNISHI, S. T., *et al.* 565
Spinal anaesthesia, (intrathecal), and fetal blood flow during elective Caesarean section, LINDBLAD, A., *et al.* 376
——, with 0.5% bupivacaine 3 ml: comparison of plain and hyperbaric solutions administered to seated patients, ALSTON, R. P. 385
——, with 0.5% bupivacaine 5 ml, effects of posture and baricity. *A double-blind study*, MITCHELL, R. W. D., *et al.* 139
——, with hyperbaric bupivacaine: effects of concentration and volume when administered in the sitting position, ALSTON, R. P., *et al.* 144
Sternum movement, on induction of anaesthesia, LOGAN, M. R., *et al.*, (*ARS*) 109P
Stimulation frequency, and drug type, effects on differential nerve blockade, WILDSMITH, J. A. W., *et al.*, (*ARS*) 503P
Stress response, effects of postoperative pain relief with PCA on postoperative changes in plasma catecholamine, cortisol and glucose concentrations, MØLLER, I. W., *et al.* 160
Stress response, perioperative, effect of paravertebral block, GIESECKE, K., *et al.* 652
——, to surgery, postoperative analgesia and pulmonary function: continuous i.p. infusion of bupivacaine has no effect on these, SCOTT, N. B., *et al.* 165
Sufentanil, and nitrous oxide anaesthesia for cardiac surgery, WINDSOR, J. P. W., *et al.* 662
Sufentanil–enflurane–nitrous oxide anaesthesia, in patients for coronary artery bypass graft, APPLETON, D. F. J., *et al.*, (*ARS*) 501P
Supine position, compared with lithotomy position, effects on intragastric pressure, lower oesophageal sphincter pressure and barrier pressure in the first trimester of pregnancy, JONES, M. J., *et al.* 475
Suppository, morphine hydrogel. *A new sustained release rectal preparation*, HANNING, C. D., *et al.* 221
Sustained release, the morphine hydrogel suppository, a new sustained release rectal preparation, HANNING, C. D., *et al.* 221
Suxamethonium, and myoneural blockers, O'SULLIVAN, E. P., *et al.*, (*C*) 642
——, and myoneural blockers, EISENKRAFT, J. B., *et al.*, (*C*) 642
——, atracurium and vecuronium compared with mivacurium chloride (BW B1090U) infusion, ALI, H. H., *et al.* 541
——, dose–response curves in neonates, infants and children, MEAKIN, G., *et al.*, (*ARS*) 105P
——, effect on the recovery of neuromuscular block by atracurium, SCOTT, R. P. F., *et al.* 292
——, myalgia, O'SULLIVAN, E. P., *et al.*, (*C*) 238
——, myalgia, MATHER, J. S., *et al.*, (*C*) 238
——, propofol sequence, and resulting severe bradycardia, BARAKA, A. 482
——, resulting in prolonged neuromuscular blockade associated with organophosphate poisoning, PÉREZ GUILLERMO, F., *et al.* 233
Sympathetic blockade, total, and associated skin temperatures in conscious dogs, PETERS, J., *et al.* 617
Syringes, plastic, gliding characteristics when used to locate the extradural space by "loss of resistance" techniques, BRICKER, S. R. W., *et al.* 776
Systemic oxygen uptake, effect of isoflurane during cardiopulmonary bypass, ALSTON, R. P., (*ARS*) 498P
Systemic vascular resistance, decreased by propofol during cardiopulmonary bypass, BOER, F., *et al.*, (*ARS*) 108P

Tachycardia, blockade of the peripheral vagal transmission can be the cause of tachycardia found following the administration of methohexitone, Althesin, ketamine and droperidol, INOUE, K., *et al.* 456
Tactile twitch response, to train-of-four (TOF) stimulation of the ulnar nerve, to assess infusion of vecuronium, HARALDSTED, V. Y., *et al.* 479
Temazepam, compared with midazolam and placebo for oral premedication in minor day-case surgery, HARGREAVES, J. 611
Temperature regulation, associated with total sympathetic blockade in conscious dogs, PETERS, J., *et al.* 617
Test doses, in extradural block, SCOTT, D. B., (*E*) 129
The I.C.U.—A Cost Benefit Analysis, MIRANDA, D. R., *et al.*, (*R*) 126
Thiamylal, compared with propofol for induction and maintenance of anaesthesia for outpatient surgery, SAMPSON, I. H., *et al.* 706
Thiopentone, anticonvulsive properties compared with

Althesin and pregnanolone emulsion in mice, HØGSKILDE, S., *et al.* 462
Thoracic paravertebral spaces, and resin injection, CONACHER, I. D. 657
Thoracic surgery, postoperative paravertebral blocks, PURCELL-JONES, G., *et al.*, (*C*) 369
——, postoperative paravertebral blocks, CONACHER, I. D., (*C*) 369
Thresholds, subjective pure tone and cortical evoked potential, effect of nitrous oxide, HOUSTON, H. G., *et al.* 606
Tidal volume, during high frequency jet ventilation, a method for measurement, YOUNG, J. D., *et al.* 601
Time and motion study, of the anaesthetist's intraoperative time, MCDONALD, J. S., *et al.* 738
Tissue buffering capacity, of normal and inflamed tissues following the injection of local anaesthetic solutions, PUNNIA-MOORTHY, A. 154
Tissue distribution, and placental transfer of bupivacaine in the rabbit, CARSON, R. J., *et al.* 332
Toxicity, and maternal–fetal distribution of bupivacaine in the rabbit, CARSON, R. J., *et al.* 332
——, induced by lignocaine, and plasma concentrations of lignocaine, influence of premedication, HAASIO, J., *et al.* 131
Tracheal toilet, long term use of the Vocalaid tracheostomy tube for, MEHTA, S., (*C*) 240
——, long term use of the Vocalaid tracheostomy tube for, PARK, G. R., *et al.*, (*C*) 240
Tracheostomy tube, a speaking adaptor, WEE, M., (*C*) 516
——, Vocalaid, long term use for tracheal toilet, MEHTA, S., (*C*) 240
——, Vocalaid, long term use for tracheal toilet, PARK, G. R., *et al.*, (*C*) 240
Train-of-four, return may be predicted from the PTC, which varied with intense neuromuscular blockade with vecuronium, RIDLEY, S. A., *et al.* 551
——, (TOF) stimulation of the ulnar nerve, and tactile twitch response to assess infusion of vecuronum, HARALDSTED, V. Y., *et al.* 479
Transcutaneous electrical nerve stimulation, (TENS) in the management of acute postoperative pain, MCCALLUM, M. I. D., *et al.* 308
Transurethral resection of prostate, spinal anaesthesia with 0.5% bupivacaine 3 ml: comparison of plain and hyperbaric solutions administered to seated patients, ALSTON, R. P. 385
Tubocurarine, and alcuronium, alone and combined, onset of neuromuscular blockade, ROBERTS, S. P., *et al.*, (*ARS*) 106P
——, differing interactions with hexamethonium, pancuronium and alcuronium at the neuromuscular junction, POLLARD, B. J., *et al.* 419
——, or other myoneural blockers, use of post-tetanic count to monitor recovery, GWINNUTT, C. L., *et al.* 547
——, pancuronium and alcuronium, action on diaphragm and hand, DERRINGTON, M. C., *et al.*, (*ARS*) 106P

Ultrasound, and Doppler technique used to ascertain whether the fetal circulation is affected by spinal anaesthesia, LINDBLAD, A., *et al.* 376
Unilateral extradural blockade, in obstetrics, GRIFFIN, R. M., (*C*) 365
——, in obstetrics, ZBINDEN, S., (*C*) 365
——, in obstetrics, LINTER, S. P. K., (*C*) 365
Upper abdominal surgery, local analgesic techniques—endocrine and metabolic effects, HALL, G. M., *et al.*, (*E*) 649

Vagal transmission, peripheral, effects of methohexitone, Althesin, ketamine and droperidol, INOUE, K., *et al.* 456
Vagolytic agents, atropine and glycopyrrolate, influence on haemodynamics and recovery with total i.v. anaesthesia with propofol and alfentanil, SKUES, M. A., *et al.*, (*ARS*) 501P
Vecuronium, and atracurium blockade, comparison of the adductor pollicis and 1st dorsal interosseous muscles: an electromyographic study, HARPER, N. J. N. 477
——, and atracurium for neuromuscular blockade, a comparison in the diaphragm and adductor pollicis, DERRINGTON, M. C., *et al.* 279
——, and atracurium potency at the diaphragm and the adductor pollicis muscle, LAYCOCK, J. R. D., *et al.* 286
——, and pancuronium, comparison of large dose for prolonged neuromuscular blockade, RØRVIK, K., *et al.* 180
——, atracurium and suxamethonium compared with mivacurium chloride (BW B1090U) infusion, ALI, H. H., *et al.* 541
——, compared with atracurium during anaesthesia for laparoscopy, BAILEY, D. M., *et al.* 557
——, influence of volatile anaesthetics on the potency in children, LYNAS, A. G. A., *et al.*, (*ARS*) 506P
——, infusion assessed by tactile evaluation of evoked thumb twitch, HARALDSTED, V. Y., *et al.* 479
——, or atracurium for MHS patients?, ALLEN, G., (*C*) 513
——, or atracurium for MHS patients?, HUNTER, J. M., (*C*) 513
——, or atracurium with low doses of neostigmine, antagonism of blockade produced, JONES, J. E., *et al.* 560
——, or other myoneural blockers, used to produce intense neuromuscular blockade in children, use of post-tetanic count to monitor recovery, GWINNUTT, C. L., *et al.* 547
——, resulting in bradycardia, FOLDES, F. F., (*C*) 240
——, to produce intense neuromuscular blockade, and post-tetanic count in children, RIDLEY, S. A., *et al.* 551
Ventilation, controlled, carbon dioxide production in cyanotic children during anaesthesia with controlled ventilation, FLETCHER, R. 743
Ventilation frequency, variation with arterial partial pressure of oxygen during HFJV, LIN, E. S., *et al.*, (*ARS*) 500P
Ventilation requirements, increased during obstetric general anaesthesia, RAMPTON, A. J., *et al.* 730
Ventilators, Manley 2, 3 and 4, differences between input and output, BOLISTON, T. A., *et al.*, (*ARS*) 510P
Verapamil, and propranolol, effects on cardiac conduction and refractoriness in dogs anaesthetized with pentobarbitone and halothane, HART, A. P., *et al.* 748
——, effect on myocardial function in the presence of fentanyl, DIEDERICKS, J., *et al.*, (*ARS*) 107P
——, i.v., followed by cardiac arrest may be related to concomitant digoxin therapy as well as halothane anaesthesia, MERIN, R. G., (*C*) 366
——, i.v., followed by cardiac arrest may be related to concomitant digoxin therapy as well as halothane anaesthesia, MØLLER, I. W., (*C*) 366
Vocalaid tracheostomy tube, long term use for tracheal toilet, MEHTA, S., (*C*) 240
——, long term use for tracheal toilet, PARK, G. R., *et al.*, (*C*) 240
Volatile anaethesis, influence on the potency of vecuronium in children, LYNAS, A. G. A., *et al.*, (*ARS*) 506P
Vomiting, postoperative, influence of neostigmine, KING, M. J., *et al.* 403

Waste anaesthetic gases, use of scavenging facilities and occupational exposure, STONE, P. A., *et al.*, (*ARS*) 111P